

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF	
00-00-00	PD: 412 Power Check		H	22.2		UNK	0	100	UNK	77.8	19917.8
INS	PN: 100 Hr/ Monthly Power Check	Insp Type: Mandatory	L	UNK							
Serviceable	SN: 33213	Installed on: Bell Helicopter 412 - 412 - 33213	C	UNK	28-Feb-2023	0	30 (D)	35	-7	28-Mar-2023	
Repeat	Position:	(C-GCCD)									
Pending	HSN/LSN: 22.2 / UNK	Description: Power check									
	HSO/LSO: N/A / N/A	Last Log: B4076-M1 (25-Oct-2022). JC 621P - 412 - 33213 (C-GCCD) - Line Maintenance.									
00-00-00	PD: 412 Survival Kit		H	UNK							
INS	PN: FE-8A	Insp Type: N/A	L	UNK							
Serviceable	SN: A243-0505	Installed on: 412 Special Inspection - A/F Special	C	UNK	22-Apr-2022	0	12 (M)	11.41	0.85	30-Apr-2023	
Repeat	Position:	Inspection - 33213									
Pending	HSN/LSN: UNK / UNK	Description: 1 Yr. Survival Kit Inspection and Recert									
	HSO/LSO: N/A / N/A	Last Log: 0903-M4 (24-Nov-2015). JC 437P - 412 - 33213 (C-GCCD) - Line Maintenance.									
00-00-00	PD: Aircraft Work Place Inspection		H	UNK							
INS	PN: Annual AOHS Inspection of the A/C	Insp Type: N/A	L	UNK							
Serviceable	SN: 33213	Installed on: 412 Special Inspection - A/F Special	C	UNK	22-Apr-2022	0	12 (M)	11.41	0.85	30-Apr-2023	
Repeat	Position:	Inspection - 33213									
Pending	HSN/LSN: UNK / UNK	Description: Aircraft Work Place Inspection - Annual AOHS Inspection of the A/C									
	HSO/LSO: N/A / N/A	SN notes: USE FORM DIR-2 SHL-HSE-02 Aircraft Inspection Form - ATTACHED UNDER SCANS									
00-00-00	PD: Flight Manual Revision Status Review		H	UNK							
INS	PN: Quarterly FM Revision Status Review	Insp Type: N/A	L	UNK							
Serviceable	SN: 33213	Installed on: 412 Special Inspection - A/F Special	C	UNK	26-Jan-2023	0	3 (M)	2.24	-0.13	31-Mar-2023	
Repeat	Position:	Inspection - 33213									
Pending	HSN/LSN: UNK / UNK	Description: Flight Manual Revision Status Review - Quarterly FM									
	N/A / N/A	Last Log: B4073-M1 (25-Oct-2022). JC 622P - 412 - 33213 (C-GCCD) - Line Maintenance.									
00-00-00	PD: Work order closure		H	UNK							
INS	PN: 412 Quarterly	Insp Type: N/A	L	UNK							
Serviceable	SN: 33213	Installed on: Bell Helicopter 412 - 412 - 33213	C	UNK	31-Mar-2023	0	3 (M)	0.13	2.86	30-Jun-2023	
Repeat	Position:	(C-GCCD)									
Pending	HSN/LSN: UNK / UNK	Description: Quarterly work order closure									
	HSO/LSO: N/A / N/A	Last Log: 0698-New WP (01-Oct-2015). JC 426P - 412 - 33213 (C-GCCD) - Line Maintenance.									
05-00-00	PD: 412 25 Hr / 30 Day		H	20.4		UNK	0	25	UNK	4.6	19844.6
INS	PN: 25 Hr / 30 Day (5-12)	Insp Type: N/A	L	UNK							
Serviceable	SN: 33213	Installed on: 412 Routine - Bell MM Routine - 33213	C	UNK	17-Mar-2023	0	30 (D)	18	12	16-Apr-2023	
Repeat	Position:										
Pending	HSN/LSN: 20.4 / UNK	Description: Complete 25 Hr / 30 Day Inspection									
	HSO/LSO: N/A / N/A	SN notes: ICC REQUIRED EVERY 4TH INSPECTION									
		Last Log: B4073-M1 (25-Oct-2022). JC 611P - 412 - 33213 (C-GCCD) - Line Maintenance.									

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF	
05-00-00 INS Serviceable Repeat Pending	PD: 412 300 Hr / 12 Month	Insp Type: N/A Installed on: 412 Routine - Bell MM Routine - 33213 Description: Complete 300 Hr / 12 Month Bell MM Insp 5-13 SN notes: 30 Hr/30 Day extension applied now due at TAFT: 19921.7 or date: Sept 30, 2022 Last Log: B4074-M1 (25-Oct-2022). JC 612P - 412 - 33213 (C-GCCD) - Line Maintenance.	H	248.3	19921.7	19793.2	0	300	46.8	253.2	20093.2
	PN: 300 Hr / 12 Month Insp (5-13)		L	UNK							
	SN: 33213		C	UNK	30-Sep-2022	25-Oct-2022	0	12 (M)	5.29	6.71	25-Oct-2023
Position:											
HSN/LSN: 248.3 / UNK											
HSO/LSO: N/A / N/A											
05-00-00 INS Serviceable Repeat Pending	PD: 412 5000 Hr / 5 Year	Insp Type: N/A Installed on: 412 Routine - Bell MM Routine - 33213 Description: 412 5000 Hr / 5 Year Insp (5-15)	H	1243.7		19407.3	0	5000	432.7	3756.3	23596.3
	PN: 5000 Hr / 5 Year Insp (5-15)		L	UNK							
	SN: 33213		C	UNK		11-May-2018	0	5 (Y)	4.90	0.16	31-May-2023
Position:											
HSN/LSN: 1243.7 / UNK											
HSO/LSO: N/A / N/A											
05-00-00 INS Serviceable Repeat Pending	PD: 412 600 Hr / 12 Month	Insp Type: N/A Installed on: 412 Routine - Bell MM Routine - 33213 Description: Complete 600 Hr / 12 Month Bell MM Inspection 5-14 Last Log: 2360 (11-May-2014). JC 4P - 412 - 33213 (C-GCCD) - Line Maintenance.	H	164.4		19675.6	0	600	164.4	435.6	20275.6
	PN: 600 Hr / 12 Month Insp (5-14)		L	UNK							
	SN: 33213		C	UNK		22-Apr-2022	0	12 (M)	11.41	0.85	30-Apr-2023
Position:											
HSN/LSN: 164.4 / UNK											
HSO/LSO: N/A / N/A											
05-00-00 INS Serviceable Repeat Pending	PD: 412 AAI Crosstubes Insp	Insp Type: Mandatory Installed on: 412 Low Landing Gear Assy - 412-320-304 - LLG04 Description: 25 Hrs/ 30 day inspection of cross tubes Last Log: B4073-M1 (25-Oct-2022). JC 614P - 412 - 33213 (C-GCCD) - Line Maintenance.	H	20.4		UNK	0	25	UNK	4.6	19844.6
	PN: AA-01136 Rev. M - 25 Hrs/ 30 days		L	UNK							
	SN: 33213		C	UNK		17-Mar-2023	0	30 (D)	18	12	16-Apr-2023
Position:											
HSN/LSN: 20.4 / UNK											
HSO/LSO: N/A / N/A											
05-00-00 INS Serviceable Repeat Pending	PD: 412 AAI Crosstubes Insp	Insp Type: Mandatory Installed on: 412 Low Landing Gear Assy - 412-320-304 - LLG04 Description: 300 hrs inspection of cross tubes	H	164.4		UNK	0	300	UNK	135.6	19975.6
	PN: AA-01136 Rev. M - 300 Hrs Insp		L	UNK							
	SN: 33213		C	UNK		22-Apr-2022					
Position:											
HSN/LSN: 164.4 / UNK											
HSO/LSO: N/A / N/A											
05-00-00 INS Serviceable Repeat Pending	PD: 412 AAI Skid tubes Insp	Insp Type: Mandatory Installed on: 412 Supplemental Inspections - 412 Supplemental Inspections - 33213 Description: 300 hrs inspection of skid tubes Last Log: B4073-M1 (25-Oct-2022). JC 615P - 412 - 33213 (C-GCCD) - Line Maintenance.	H	164.4		UNK	0	300	UNK	135.6	19975.6
	PN: AA-01139 Rev. I - 300 Hrs Insp		L	UNK							
	SN: 33213		C	UNK		22-Apr-2022					
Position:											
HSN/LSN: 164.4 / UNK											
HSO/LSO: N/A / N/A											
05-00-00 INS Serviceable Repeat Pending	PD: 412 AAI Skid tubes Insp	Insp Type: Mandatory Installed on: 412 Supplemental Inspections - 412 Supplemental Inspections - 33213 Description: 25 Hrs/ 30 day inspection of skid tubes Last Log: B4073-M1 (25-Oct-2022). JC 615P - 412 - 33213 (C-GCCD) - Line Maintenance.	H	20.4		UNK	0	25	UNK	4.6	19844.6
	PN: AA-01139 Rev. I - 25 Hrs/ 30 days		L	UNK							
	SN: 33213		C	UNK		17-Mar-2023	0	30 (D)	18	12	16-Apr-2023
Position:											
HSN/LSN: 20.4 / UNK											
HSO/LSO: N/A / N/A											

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
05-00-00	PD: 412 AAL Oil Cooler Support Bracket		69.2		UNK	0	100	UNK	30.8	19870.8
INS	PN: AAL-214-015-101 MMS	Insp Type: Mandatory								
Serviceable	SN: 33213	Installed on: 412 Supplemental Inspections - 412	UNK							
Repeat	Position:	Supplemental Inspections - 33213	UNK		29-Aug-2022	0	12 (M)	7.17	4.90	31-Aug-2023
Pending	HSN/LSN: 69.2 / UNK	Description: 100 hrs/ 12 month inspection IAW AAL-214-015-101 MMS Rev B								
	HSO/LSO: N/A / N/A	SN notes: Installed on CCD in April 2021								
05-00-00	PD: 412 BLR Dual Tailboom Strake & FastFin System Insp		69.2		UNK	0	100	UNK	30.8	19870.8
INS	PN: BLR-412FF-950 Rev. D	Insp Type: N/A								
Serviceable	SN: 33213	Installed on: 412 Supplemental Inspections - 412	UNK							
Repeat	Position:	Supplemental Inspections - 33213	UNK		29-Aug-2022	0	12 (M)	7.17	4.90	31-Aug-2023
Pending	HSN/LSN: 69.2 / UNK	Description: Inspect every 100 hrs/ 12 month								
	HSO/LSO: N/A / N/A									
05-00-00	PD: 412 Dart Bearpaw Kit Insp		20.4		UNK	0	25	UNK	4.6	19844.6
INS	PN: 25 hrs/ 30 days General Check -	Insp Type: N/A								
Serviceable	SN: 33213	Installed on: 412 Supplemental Inspections - 412	UNK							
Repeat	Position:	Supplemental Inspections - 33213	UNK		17-Mar-2023	0	30 (D)	18	12	16-Apr-2023
Pending	HSN/LSN: 20.4 / UNK	Description: Visually check for wear, damage and security								
	HSO/LSO: N/A / N/A	Last Log: B4073-JC 613P (25-Oct-2022). JC 613P - 412 - 33213 (C-GCCD) - Line Maintenance.								
05-00-00	PD: 412 Dart Bearpaw Kit Insp		164.4		UNK	0	300	UNK	135.6	19975.6
INS	PN: 300 hrs/ 12 mo Detailed Insp -	Insp Type: Mandatory								
Serviceable	SN: 33213	Installed on: 412 Supplemental Inspections - 412	UNK							
Repeat	Position:	Supplemental Inspections - 33213	UNK		22-Apr-2022	0	12 (M)	11.41	0.85	30-Apr-2023
Pending	HSN/LSN: 164.4 / UNK	Description: 300hr/12mo IAW ICA-D205-564 Rev 4 Chapter 5, 5.3								
	HSO/LSO: N/A / N/A									
05-00-00	PD: 412 Dart Co-pilot Emergency Cargo Release Kit		164.4		UNK	0	300	UNK	135.6	19975.6
INS	PN: ICA-D412-704 Rev. 6	Insp Type: N/A								
Serviceable	SN: 33213	Installed on: 412 Supplemental Inspections - 412	UNK							
Repeat	Position:	Supplemental Inspections - 33213	UNK		22-Apr-2022					
Pending	HSN/LSN: 164.4 / UNK	Description: 300 hrs inspection								
	HSO/LSO: N/A / N/A									
05-00-00	PD: 412 Dart Door Modification Kits		164.4		UNK	0	300	UNK	135.6	19975.6
INS	PN: ICA-D412-698 Rev. 7	Insp Type: Mandatory								
Serviceable	SN: 33213	Installed on: 412 Supplemental Inspections - 412	UNK							
Repeat	Position:	Supplemental Inspections - 33213	UNK		22-Apr-2022					
Pending	HSN/LSN: 164.4 / UNK	Description: 412 Dart Door Modification Kits IAW								
	HSO/LSO: N/A / N/A									
05-00-00	PD: 412 Dart Dual Mirror and LED Pulse Light Kit Insp		164.4		UNK	0	300	UNK	135.6	19975.6
INS	PN: ICA-D212-580 Rev. 7	Insp Type: Mandatory								
Serviceable	SN: 33213	Installed on: 412 Supplemental Inspections - 412	UNK							
Repeat	Position:	Supplemental Inspections - 33213	UNK		22-Apr-2022					
Pending	HSN/LSN: 164.4 / UNK	Description: 412 Dart Dual Mirror & LED Pulse Light Kit Insp								
	HSO/LSO: N/A / N/A									

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
05-00-00 INS Serviceable Repeat Pending	PD: 412 Dart Heli Access Steps Insp	Insp Type: Mandatory Installed on: 412 Supplemental Inspections - 412 Supplemental Inspections - 33213 Description: 412 Dart Heli Access Steps Insp IAW ICA-D412-630 Rev 6	H	164.4	UNK	0	300	UNK	135.6	19975.6
	PN: ICA-D412-630		L	UNK						
	SN: 33213		C	UNK	22-Apr-2022					
	Position:									
HSN/LSN: 164.4 / UNK HSD/LSO: N/A / N/A										
05-00-00 INS Serviceable Repeat Pending	PD: 412 Dart Shoulder Harness Kits Insp	Insp Type: N/A Installed on: 412 Supplemental Inspections - 412 Supplemental Inspections - 33213 Description: 300 hrs inspection IAW ICA-D412-702 Rev 6	H	164.4	UNK	0	300	UNK	135.6	19975.6
	PN: ICA-D412-702		L	UNK						
	SN: 33213		C	UNK	22-Apr-2022					
	Position:									
HSN/LSN: 164.4 / UNK HSD/LSO: N/A / N/A										
05-00-00 INS Serviceable Repeat Pending	PD: 412 Dart Vertical Reference Door Insp	Insp Type: N/A Installed on: 412 Supplemental Inspections - 412 Supplemental Inspections - 33213 Description: 300 hrs/ 12 months inspection	H	164.4	UNK	0	300	UNK	135.6	19975.6
	PN: ICA-D412-711 Rev. 3		L	UNK						
	SN: 33213		C	UNK	22-Apr-2022	0	12 (M)	11.41	0.85	30-Apr-2023
	Position:									
HSN/LSN: 164.4 / UNK HSD/LSO: N/A / N/A										
05-00-00 INS Serviceable Repeat Pending	PD: 412 Magellan Aerospace WSPS	Insp Type: N/A Installed on: 412 Supplemental Inspections - 412 Supplemental Inspections - 33213 Description: Every 100 hours inspect IAW Magellan MM	H	69.2	UNK	0	100	UNK	30.8	19870.8
	PN: PM-965-041 Rev. C		L	UNK						
	SN: 33213		C	UNK	29-Aug-2022					
	Position:									
HSN/LSN: 69.2 / UNK HSD/LSO: N/A / N/A										
05-00-00 INS Serviceable Repeat Pending	PD: 412 Skynode S200 Tracker Insp	Insp Type: Mandatory Installed on: 412 Supplemental Inspections - 412 Supplemental Inspections - 33213 Description: 300 hr inspection IAW ICA S200-404-001 Rev D	H	164.4	UNK	0	300	UNK	135.6	19975.6
	PN: S200-404-001 Rev D		L	UNK						
	SN: 33213		C	UNK	22-Apr-2022					
	Position:									
HSN/LSN: 164.4 / UNK HSD/LSO: N/A / N/A										
05-00-00 INS Serviceable Life Pending	PD: 412, M/R Control System Bolts 2500 hrs replacement	Insp Type: Life Limited Part Installed on: 412 Control System Bolts - Model 412 - 33213 Description: 412, M/R Control System Bolts 2500 hrs replacement SN notes: The following bolts are not serialized items by the manufacturer: 20-057-5-24D (QTY 9); 20-057-5-25D (QTY 4); 20-057-6-36D (QTY 10); 20-057-6-52D (QTY 6); 20-057-8-84D (QTY 4); 20-057-8-92D (QTY1). Their 2500 hrs replacement is tracked by this inspection.	H	164.4	UNK	0	2500	N/A	2335.6	22175.6
	PN: M/R Control System Bolt Replacement		L	UNK						
	SN: VL00189542		C	UNK	10-Apr-2022					
	Position:									
HSN/LSN: 164.4 / UNK HSD/LSO: N/A / N/A										

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
05-00-00	PD: Bolt, Hydraulic Cylinder (Servo) to lower support		164.4		UNK	0	2500	N/A	2335.6	22175.6
S	PN: 212-001-323-001	Insp Type: Life Limited Part								
Serviceable	SN: 22544	Installed on: 412 Control System Bolts - Model 412 -	UNK							
Life	Position: 33213		UNK		UNK					
Pending	HSN/LSN: 164.4 / UNK	Description: Retire at 2,500 hrs.								
	HSO/LSO: UNK / UNK	SN notes: Was received as part of bolt kit s/n: VL00189542								
05-00-00	PD: Bolt, Hydraulic Cylinder (Servo) to lower support		164.4		UNK	0	2500	N/A	2335.6	22175.6
S	PN: 212-001-323-001	Insp Type: Life Limited Part								
Serviceable	SN: 22589	Installed on: 412 Control System Bolts - Model 412 -	UNK							
Life	Position: Collective		UNK		UNK					
Pending	HSN/LSN: 164.4 / UNK	Description: Retire at 2,500 hrs.								
	HSO/LSO: 164.4 / 273.0	SN notes: Was received as part of bolt kit s/n: VL00189542								
05-00-00	PD: Bolt, Hydraulic Cylinder (Servo) to lower support		164.4		UNK	0	2500	N/A	2335.6	22175.6
S	PN: 212-001-323-001	Insp Type: Life Limited Part								
Serviceable	SN: 22754	Installed on: 412 Control System Bolts - Model 412 -	UNK							
Life	Position: 33213		UNK		UNK					
Pending	HSN/LSN: 164.4 / UNK	Description: Retire at 2,500 hrs.								
	HSO/LSO: UNK / UNK	SN notes: Was received as part of bolt kit s/n: VL00189542								
05-00-00	PD: Dart Heli-Utility Basket Insp		39.4		UNK	0	300	UNK	260.6	20100.6
INS	PN: ICA-D205-541	Insp Type: Mandatory								
Serviceable	SN: 33213	Installed on: 412 Supplemental Inspections - 412	UNK							
Repeat	Position: Supplemental Inspections - 33213		UNK		07-Dec-2022					
Pending	HSN/LSN: 39.4 / UNK	Description: 300 hr Dart Heli-Utility Basket Insp for Bell 412								
	HSO/LSO: N/A / N/A									
05-00-00	PD: Kannad 406 ELT Battery Replacement		UNK							
INS	PN: S1852501-02	Insp Type: N/A								
Serviceable	SN: LX1100991395	Installed on: Kannad AF-H Integra ELT - S1852501-02	UNK							
Life	Position: - LX1100991395		UNK		UNK	0	72 (M)	N/A	44.94	31-Dec-2026
Pending	HSN/LSN: UNK / UNK	Description: 6 years retirement								
	HSO/LSO: N/A / N/A									
05-00-00	PD: Kannad 406 ELT Periodic Insp/ Recertification		UNK							
INS	PN: S1852501-02	Insp Type: Mandatory								
Serviceable	SN: LX1100991395	Installed on: Kannad AF-H Integra ELT - S1852501-02	UNK							
Repeat	Position: - LX1100991395		UNK	30-Nov-2022	24-Oct-2022	0	12 (M)	5.33	6.67	24-Oct-2023
Pending	HSN/LSN: UNK / UNK	Description: Annual Periodic Insp/ Recertification								
	HSO/LSO: N/A / N/A	Last Log: B4076-M1 (25-Oct-2022). JC 623P - 412 - 33213 (C-GCCD) - Line Maintenance.								

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
05-00-00	PD: Kannad 406 ELT Self-test		UNK							
INS	PN: S1852501-02	Insp Type: N/A	UNK							
Serviceable	SN: LX1100991395	Installed on: Kannad AF-H Integra ELT - S1852501-02	UNK	30-Nov-2022	25-Oct-2022	0	6 (M)	5.29	0.69	25-Apr-2023
Repeat	Position: - LX1100991395									
Pending	HSN/LSN: UNK / UNK	Description: 6 Month self-test - Reference to Operations Manual # DOC09078F								
	HSO/LSO: N/A / N/A	Last Log: B4076-M1 (25-Oct-2022). JC 624P - 412 - 33213 (C-GCCD) - Line Maintenance.								
05-00-00	PD: PT6T 50 Hour/ 6 Months Insp		20.4		UNK	0	50	UNK	29.6	19869.6
INS	PN: PT6T 50 hrs/6 months Insp	Insp Type: Mandatory	UNK							
Serviceable	SN: CPPS-62193	Installed on: PT6T-3B - 3017600-T3B - CPPS-62193	UNK		17-Mar-2023	0	6 (M)	0.59	5.88	30-Sep-2023
Repeat	Position: ENG 1									
Pending	HSN/LSN: 20.4 / UNK	Description: C/W every 50 hrs or 6 months whichever comes first								
	HSO/LSO: N/A / N/A									
05-00-00	PD: PT6T 50 Hour/ 6 Months Insp		20.4		19819.6	0	50	20.4	29.6	19869.6
INS	PN: PT6T 50 hrs/6 months Insp	Insp Type: Mandatory	UNK							
Serviceable	SN: CPPS-62693	Installed on: PT6T-3B - 3017600-T3B - CPPS-62693	UNK		17-Mar-2023	0	6 (M)	0.59	5.88	30-Sep-2023
Repeat	Position:									
Pending	HSN/LSN: 20.4 / UNK	Description: C/W every 50 hrs or 6 months whichever comes first								
	HSO/LSO: N/A / N/A	Last Log: B3286-M1 (01-Aug-2021). JC 596P - 412 - 33213 (C-GCCD) - Line Maintenance.								
05-00-00	PD: PT6T 900 Hour Insp		164.4		UNK	0	900	UNK	735.6	20575.6
INS	PN: 900 Hour Insp	Insp Type: N/A	UNK							
Serviceable	SN: CPPS-62193	Installed on: PT6T-3B - 3017600-T3B - CPPS-62193	UNK		22-Apr-2022					
Repeat	Position:									
Pending	HSN/LSN: 164.4 / UNK	Description: c/w every 900 hrs IAW Engine MM 72-00-00 Table 601								
	HSO/LSO: N/A / N/A									
05-00-00	PD: PT6T 900 Hour Insp		46.8		UNK	0	900	UNK	853.2	20693.2
INS	PN: 900 Hour Insp	Insp Type: N/A	UNK							
Serviceable	SN: CPPS-62693	Installed on: PT6T-3B - 3017600-T3B - CPPS-62693	UNK		25-Oct-2022					
Repeat	Position:									
Pending	HSN/LSN: 46.8 / UNK	Description: c/w every 900 hrs IAW Engine MM 72-00-00 Table 601								
	HSO/LSO: N/A / N/A	Last Log: B3286-M4 (26-Apr-2021). JC 532P - 412 - 33213 (C-GCCD) - Line Maintenance.								
05-00-00	PD: T3B 100 Hour Insp		69.2		UNK	0	100	UNK	30.8	19870.8
INS	PN: 100 Hour Insp	Insp Type: N/A	UNK							
Serviceable	SN: CPPS-62193	Installed on: PT6T-3B - 3017600-T3B - CPPS-62193	UNK		29-Aug-2022					
Repeat	Position:									
Pending	HSN/LSN: 69.2 / UNK	Description: C/W every 100 hrs.								
	HSO/LSO: N/A / N/A									
05-00-00	PD: T3B 100 Hour Insp		46.8		19793.2	0	100	46.8	53.2	19893.2
INS	PN: 100 Hour Insp	Insp Type: N/A	UNK							
Serviceable	SN: CPPS-62693	Installed on: PT6T-3B - 3017600-T3B - CPPS-62693	UNK		25-Oct-2022					
Repeat	Position:									
Pending	HSN/LSN: 46.8 / UNK	Description: C/W every 100 hrs.								
	HSO/LSO: N/A / N/A	Last Log: B3284-M1 (22-Jul-2021). JC 586P - 412 - 33213 (C-GCCD) - Line Maintenance.								

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF	
05-00-00 INS Serviceable Repeat Pending	PD: T3B 1200 Hour Insp	Insp Type: N/A Installed on: PT6T-3B - 3017600-T3B - CPPS-62693 Position: Description: C/W evry 1,200 hrs. Last Log: CCD eng 2020-3 (11-Mar-2020). JC 466P - 412 - 33213 (C-GCCD) - Line Maintenance.	H	UNK	19776.5	0	1200	63.5	1136.5	20976.5	
	PN: 1200 Hour Insp		L	UNK							
	SN: CPPS-62693		C	UNK	22-Apr-2022						
05-00-00 INS Serviceable Repeat Pending	PD: T3B 150 Hour Insp	Insp Type: N/A Installed on: PT6T-3B - 3017600-T3B - CPPS-62193 Position: Description: C/W every (a) 150 hrs	H	21.7	UNK	0	150	UNK	128.3	19968.3	
	PN: 150 Hour Insp		L	UNK							
	SN: CPPS-62193		C	UNK	09-Mar-2023						
05-00-00 INS Serviceable Repeat Pending	PD: T3B 150 Hour Insp	Insp Type: N/A Installed on: PT6T-3B - 3017600-T3B - CPPS-62693 Position: Description: C/W every (a) 150 hrs Last Log: B3286-M1 (01-Aug-2021). JC 597P - 412 - 33213 (C-GCCD) - Line Maintenance.	H	21.7	19818.3	0	150	21.7	128.3	19968.3	
	PN: 150 Hour Insp		L	UNK							
	SN: CPPS-62693		C	UNK	09-Mar-2023						
05-00-00 INS Serviceable Repeat Pending	PD: T3B 150 Hour/12 Months Insp	Insp Type: N/A Installed on: Combining Gearbox, Engine - 3024780 - CPGB-2348 Position: Description: C/W every (a) 150 hrs. or (b) 12 months.	H	46.8	UNK	0	150	UNK	103.2	19943.2	
	PN: 150 Hour/12 Months Insp - RGB Output		L	UNK							
	SN: CPGB-2348		C	UNK	25-Oct-2022	0	12 (M)	5.29	6.90	31-Oct-2023	
05-00-00 INS Serviceable Repeat Pending	PD: T3B 150 Hour/6 Months Insp	Insp Type: N/A Installed on: PT6T-3B - 3017600-T3B - CPPS-62193 Position: Description: C/W every (a) 150 hrs. or (b) 6 months. Last Log: B4074-M1 (25-Oct-2022). JC 620P - 412 - 33213 (C-GCCD) - Line Maintenance.	H	164.4	19825.6	19793.2	0	150	46.8	103.2	19943.2
	PN: 150 Hour/6 Months Insp		L	UNK							
	SN: CPPS-62193		C	UNK	31-Oct-2022	25-Oct-2022	0	6 (M)	5.29	0.69	25-Apr-2023
05-00-00 INS Serviceable Repeat Pending	PD: T3B 150 Hour/6 Months Insp	Insp Type: N/A Installed on: PT6T-3B - 3017600-T3B - CPPS-62693 Position: Description: C/W every (a) 150 hrs. or (b) 6 months. Last Log: B3286-M1 (01-Aug-2021). JC 599P - 412 - 33213 (C-GCCD) - Line Maintenance.	H	46.8	19793.2	0	150	46.8	103.2	19943.2	
	PN: 150 Hour/6 Months Insp		L	UNK							
	SN: CPPS-62693		C	UNK	25-Oct-2022	0	6 (M)	5.29	0.85	30-Apr-2023	
05-00-00 INS Serviceable Repeat Pending	PD: T3B 25 Hour Insp	Insp Type: N/A Installed on: PT6T-3B - 3017600-T3B - CPPS-62193 Position: Description: C/W every 25 hrs. Ref: EMM 72-00-00 Table 601 Last Log: B4073-M1 (25-Oct-2022). JC 628P - 412 - 33213 (C-GCCD) - Line Maintenance.	H	20.4	UNK	0	25	UNK	4.6	19844.6	
	PN: 25 Hour Insp		L	UNK							
	SN: CPPS-62193		C	UNK	17-Mar-2023						

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
05-00-00 INS Serviceable Repeat Pending	PD: T3B 25 Hour Insp	Insp Type: N/A Installed on: PT6T-3B - 3017600-T3B - CPPS-62693 Position: Description: C/W every 25 hrs. Ref: EMM 72-00-00 Table 601 Last Log: B3294-M1 (04-Nov-2021).	H	20.4	UNK	0	25	UNK	4.6	19844.6
	PN: 25 Hour Insp		L	UNK						
	SN: CPPS-62693		C	UNK	17-Mar-2023					
05-00-00 INS Serviceable Repeat Pending	PD: T3B 300 Hour Insp	Insp Type: Mandatory Installed on: Combining Gearbox, Engine - 3024780 - CPG-2348 Description: Inspect for contamination and clean every 300 hrs SN notes: This is to be carried out with the 300 hr engine inspection	H	46.8	UNK	0	300	UNK	253.2	20093.2
	PN: 300 hr - P3 Air Tube Metering Tees		L	UNK						
	SN: 33213		C	UNK	25-Oct-2022					
05-00-00 INS Serviceable Repeat Pending	PD: T3B 300 Hour Insp	Insp Type: N/A Installed on: PT6T-3B - 3017600-T3B - CPPS-62193 Position: Description: 300 hr engine inspection SN notes: P3 Air Tube Metering Tees inside the Gearbox needs to be c/o and reset with this inspection	H	164.4	UNK	0	300	UNK	135.6	19975.6
	PN: 300 hr engine insp		L	UNK						
	SN: CPPS-62193		C	UNK	22-Apr-2022					
05-00-00 INS Serviceable Repeat Pending	PD: T3B 300 Hour Insp	Insp Type: N/A Installed on: PT6T-3B - 3017600-T3B - CPPS-62693 Position: Description: 300 hr engine inspection SN notes: P3 Air Tube Metering Tees inside the Gearbox needs to be c/o and reset with this inspection Last Log: B3268-M3 (26-Apr-2021). JC 528P - 412 - 33213 (C-GCCD) - Line Maintenance.	H	46.8	UNK	0	300	UNK	253.2	20093.2
	PN: 300 hr engine insp		L	UNK						
	SN: CPPS-62693		C	UNK	25-Oct-2022					
05-00-00 INS Serviceable Repeat Pending	PD: T3B 300 Hour/12 Months Insp	Insp Type: N/A Installed on: PT6T-3B - 3017600-T3B - CPPS-62193 Position: Description: C/W every (a) 300 hrs. or (b) 12 months.	H	164.4	UNK	0	300	UNK	135.6	19975.6
	PN: 300 Hour/12 Months Insp		L	UNK						
	SN: CPPS-62193		C	UNK	22-Apr-2022	0	12 (M)	11.41	0.85	30-Apr-2023
05-00-00 INS Serviceable Repeat Pending	PD: T3B 300 Hour/12 Months Insp	Insp Type: N/A Installed on: PT6T-3B - 3017600-T3B - CPPS-62693 Position: Description: C/W every (a) 300 hrs. or (b) 12 months. Last Log: B3268-M3 (26-Apr-2021). JC 518P - 412 - 33213 (C-GCCD) - Line Maintenance.	H	46.8	UNK	0	300	UNK	253.2	20093.2
	PN: 300 Hour/12 Months Insp		L	UNK						
	SN: CPPS-62693		C	UNK	25-Oct-2022	0	12 (M)	5.29	6.90	31-Oct-2023

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
05-00-00 INS Serviceable Repeat Pending	PD: T3B 600 Hour Insp	Insp Type: N/A	H 164.4		UNK	0	600	UNK	435.6	20275.6
	PN: 600 Hour Insp	Installed on: PT6T-3B - 3017600-T3B - CPPS-62193	L UNK							
	SN: CPPS-62193		C UNK		22-Apr-2022					
Position:			Description: C/W every 600 hrs.							
HSN/LSN: 164.4 / UNK			Description: C/W every 600 hrs.							
HSO/LSO: N/A / N/A										
05-00-00 INS Serviceable Repeat Pending	PD: T3B 600 Hour Insp	Insp Type: N/A	H UNK		19776.5	0	600	63.5	536.5	20376.5
	PN: 600 Hour Insp	Installed on: PT6T-3B - 3017600-T3B - CPPS-62693	L UNK							
	SN: CPPS-62693		C UNK		22-Apr-2022					
Position:			Description: C/W every 600 hrs.							
HSN/LSN: 63.5 / UNK			Description: C/W every 600 hrs.							
HSO/LSO: N/A / N/A			Last Log: B3268-M3 (26-Apr-2021). JC 529P - 412 - 33213 (C-GCCD) - Line Maintenance.							
05-00-00 INS Serviceable Repeat Pending	PD: T3B 900 Hour/12 Months Insp	Insp Type: N/A	H 164.4		UNK	0	900	UNK	735.6	20575.6
	PN: 900 Hour/12 Months Insp	Installed on: PT6T-3B - 3017600-T3B - CPPS-62193	L UNK							
	SN: CPPS-62193		C UNK		22-Apr-2022	0	12 (M)	11.41	0.85	30-Apr-2023
Position:			Description: C/W every (a) 900 hrs. or (b) 12 months.							
HSN/LSN: 164.4 / UNK			Description: C/W every (a) 900 hrs. or (b) 12 months.							
HSO/LSO: N/A / N/A										
05-00-00 INS Serviceable Repeat Pending	PD: T3B 900 Hour/12 Months Insp	Insp Type: N/A	H UNK		19776.5	0	900	63.5	836.5	20676.5
	PN: 900 Hour/12 Months Insp	Installed on: PT6T-3B - 3017600-T3B - CPPS-62693	L UNK							
	SN: CPPS-62693		C UNK		22-Apr-2022	0	12 (M)	11.41	0.85	30-Apr-2023
Position:			Description: C/W every (a) 900 hrs. or (b) 12 months.							
HSN/LSN: 63.5 / UNK			Description: C/W every (a) 900 hrs. or (b) 12 months.							
HSO/LSO: N/A / N/A			Last Log: B3268-M4 (26-Apr-2021). JC 517P - 412 - 33213 (C-GCCD) - Line Maintenance.							
05-00-00 INS Serviceable Repeat Pending	PD: Tanis Preheat System Insp - Airframe	Insp Type: Kits/Mods	H UNK							
	PN: ICA - TCA0003 Rev. D	Installed on: 412 Supplemental Inspections - 412	L UNK							
	SN: 33213	Supplemental Inspections - 33213	C UNK		22-Apr-2022	0	12 (M)	11.41	0.85	30-Apr-2023
Position:			Description: Tanis Preheat Inspection (airframe)							
HSN/LSN: UNK / UNK			Description: Tanis Preheat Inspection (airframe)							
HSO/LSO: N/A / N/A										
05-00-00 INS Serviceable Repeat Pending	PD: Tanis Preheat System Insp - Battery	Insp Type: Kits/Mods	H UNK							
	PN: ICA - TCA0002 Rev. A	Installed on: 412 Supplemental Inspections - 412	L UNK							
	SN: 33213	Supplemental Inspections - 33213	C UNK		22-Apr-2022	0	12 (M)	11.41	0.85	30-Apr-2023
Position:			Description: Tanis Preheat System Insp (battery)							
HSN/LSN: UNK / UNK			Description: Tanis Preheat System Insp (battery)							
HSO/LSO: N/A / N/A										
05-18-00 INS Serviceable Repeat Pending	PD: 412 25 Hour Tail Rotor Static Stop	Insp Type: N/A	H 20.4		UNK	0	25	UNK	4.6	19844.6
	PN: Tail Rotor Static Stop (5-22)	Installed on: 412 Special Inspection - A/F Special	L UNK							
	SN: 33213	Inspection - 33213	C UNK		17-Mar-2023					
Position:			Description: Inspect every 25 hrs. of Tail Rotor Operation.							
HSN/LSN: 20.4 / UNK			Description: Inspect every 25 hrs. of Tail Rotor Operation.							
HSO/LSO: N/A / N/A			SN notes: Tail Rotor Blades S/N A-2555 and A-2729							
			Last Log: B4073-M1 (25-Oct-2022). JC 625P - 412 - 33213 (C-GCCD) - Line Maintenance.							

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
05-24-00	PD: 412 600 Hour / 12 Month Inspection	Insp Type: N/A	H 164.4		UNK	0	600	UNK	435.6	20275.6
INS	PN: T/R D/S Insp (5-28) and Service Tab	Installed on: Transmission Assy, Main Rotor -	L UNK							
Serviceable	SN: A-13	412-040-002-113FM - A-13	C UNK		22-Apr-2022	0	12 (M)	11.41	0.85	30-Apr-2023
Repeat	Position:	Description: Inspect and Service every 600 hrs /12 months of Component Operation								
Pending	HSN/LSN: 164.4 / UNK	SN notes: ICC REQUIRED FOR THIS INSPECTION								
	HSO/LSO: N/A / N/A									
05-24-00	PD: 412 600 Hour / 12 Month Inspection	Insp Type: N/A	H 164.4		UNK	0	600	UNK	435.6	20275.6
INS	PN: T/R D/S Insp (5-28) and Service Tab	Installed on: T/R D/S Hanger Assy - 212-040-600-005	L UNK							
Serviceable	SN: A20-10269	- A20-10269	C UNK		22-Apr-2022	0	12 (M)	11.41	0.85	30-Apr-2023
Repeat	Position:	Description: Inspect and Service every 600 hrs /12 months of Component Operation								
Pending	HSN/LSN: 164.4 / UNK	SN notes: ICC IS REQUIRED FOR THIS INSPECTION								
	HSO/LSO: N/A / N/A									
05-24-00	PD: 412 600 Hour / 12 Month Inspection	Insp Type: N/A	H 164.4		UNK	0	600	UNK	435.6	20275.6
INS	PN: T/R D/S Insp (5-28) and Service Tab	Installed on: T/R D/S Hanger Assy - 212-040-600-005	L UNK							
Serviceable	SN: A20-83314	- A20-83314	C UNK		22-Apr-2022	0	12 (M)	11.41	0.85	30-Apr-2023
Repeat	Position:	Description: Inspect and Service every 600 hrs /12 months of Component Operation								
Pending	HSN/LSN: 164.4 / UNK	SN notes: ICC IS REQUIRED FOR THIS INSPECTION								
	HSO/LSO: N/A / N/A									
05-24-00	PD: 412 600 Hour / 12 Month Inspection	Insp Type: N/A	H 164.4		UNK	0	600	UNK	435.6	20275.6
INS	PN: T/R D/S Insp (5-28) and Service Tab	Installed on: T/R D/S Hanger Assy - 212-040-600-005	L UNK							
Serviceable	SN: A-4532	- A-4532	C UNK		22-Apr-2022	0	12 (M)	11.41	0.85	30-Apr-2023
Repeat	Position:	Description: Inspect and Service every 600 hrs /12 months of Component Operation								
Pending	HSN/LSN: 164.4 / UNK	SN notes: ICC REQUIRED FOR THIS INSPECTION								
	HSO/LSO: N/A / N/A									
05-24-00	PD: 412 600 Hour / 12 Month Inspection	Insp Type: N/A	H 164.4		UNK	0	600	UNK	435.6	20275.6
INS	PN: T/R D/S Insp (5-28) and Service Tab	Installed on: T/R D/S Hanger Assy - 212-040-600-005	L UNK							
Serviceable	SN: A4539	- A4539	C UNK		22-Apr-2022	0	12 (M)	11.41	0.85	30-Apr-2023
Repeat	Position:	Description: Inspect and Service every 600 hrs /12 months of Component Operation								
Pending	HSN/LSN: 164.4 / UNK	SN notes: ICC REQUIRED FOR THIS INSPECTION								
	HSO/LSO: N/A / N/A									
05-24-00	PD: 412 600 Hour / 12 Month Inspection	Insp Type: N/A	H 164.4		UNK	0	600	UNK	435.6	20275.6
INS	PN: T/R D/S Insp (5-28) and Service Tab	Installed on: Gearbox Assy, 42 Degree -	L UNK							
Serviceable	SN: AHP-25264	212-040-003-023FM - AHP-25264	C UNK		22-Apr-2022	0	12 (M)	11.41	0.85	30-Apr-2023
Repeat	Position:	Description: Inspect and Service every 600 hrs /12 months of Component Operation								
Pending	HSN/LSN: 164.4 / UNK	SN notes: ICC REQUIRED FOR THIS INSPECTION								
	HSO/LSO: N/A / N/A									

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
05-24-00	PD: 412 600 Hour / 12 Month Inspection	Insp Type: N/A	H 164.4		UNK	0	600	UNK	435.6	20275.6
INS	PN: T/R D/S Insp (5-28) and Service Tab	Installed on: Gearbox Assy, 90 Degree -	L UNK							
Serviceable	SN: AHT-25098	212-040-004-009FM - AHT-25098	C UNK		22-Apr-2022	0	12 (M)	11.41	0.85	30-Apr-2023
Repeat	Position:	Description: Inspect and Service every 600 hrs /12 months of Component Operation								
Pending	HSN/LSN: 164.4 / UNK	SN notes: ICC REQUIRED FOR THIS INSPECTION								
	HSO/LSO: N/A / N/A									
05-24-00	PD: 412 600 Hour /12 Mo Insp of Tailboom Attach Bolts	Insp Type: Mandatory	H 160.7		UNK	0	600	UNK	439.3	20279.3
INS	PN: Tailboom Attach Bolts Insp (5-28A)	Installed on: 412 Special Inspection - A/F Special	L UNK							
Serviceable	SN: 33213	Inspection - 33213	C UNK		09-May-2022	0	12 (M)	10.85	1.87	31-May-2023
Repeat	Position:	Description: 600 Hour /12 Mo Insp of Tailboom Attach Bolts								
Pending	HSN/LSN: 160.7 / UNK	SN notes: This Special Inspection replaces requirement of SB 412-21-187 Rev A Part III								
	HSO/LSO: N/A / N/A									
05-24-00	PD: 412 600 Hour /12 Month	Insp Type: N/A	H 164.4		UNK	0	600	UNK	435.6	20275.6
INS	PN: Main Driveshaft Insp (5-29) and	Installed on: Driveshaft Assy, Main Transmission -	L UNK							
Serviceable	SN: 33213	212-040-005-103 - A20-01426	C UNK		22-Apr-2022	0	12 (M)	11.41	0.85	30-Apr-2023
Repeat	Position:	Description: Inspect and Service every 600 hrs /12 months of Component Operation								
Pending	HSN/LSN: 164.4 / UNK	Last Log: 0669-M1 (23-Apr-2015). JC 244P - 412 - 33213 (C-GCCD) - Line Maintenance.								
	HSO/LSO: N/A / N/A									
05-25-00	PD: 412 10 Year Inspection	Insp Type: Mandatory	H UNK							
INS	PN: Collective Stick Tube Inspection (5-43)	Installed on: 412 Special Inspection - A/F Special	L UNK							
Serviceable	SN: 33213	Inspection - 33213	C UNK		31-May-2018	0	10 (Y)	4.85	5.16	31-May-2028
Repeat	Position:	Description: IAW Bell-412-MM-2, Para 5-43								
Pending	HSN/LSN: UNK / UNK									
	HSO/LSO: N/A / N/A									
05-25-00	PD: 412 3000 Hour /5 Year Inspection	Insp Type: Mandatory	H 1243.7		UNK	0	3000	UNK	1756.3	21596.3
INS	PN: Transmission Mount and Damper	Installed on: 412 Special Inspection - A/F Special	L UNK							
Serviceable	SN: 33213	Inspection - 33213	C UNK		11-May-2018	0	5 (Y)	4.90	0.16	31-May-2023
Repeat	Position:	Description: Inspection to be c/o IAW BHT-412-MM-2, Para 5-42 issued 13 Dec 2019								
Pending	HSN/LSN: 1243.7 / UNK									
	HSO/LSO: N/A / N/A									
05-25-00	PD: 412 2500 Hr General Assemblies	Insp Type: N/A	H UNK		17465.7	0	2500	2374.3	125.7	19965.7
INS	PN: 2500 Hr General Assemblies (5-31)	Installed on: 412 Special Inspection - A/F Special	L UNK							
Serviceable	SN: 33213	Inspection - 33213	C UNK		UNK					
Repeat	Position:	Description: Inspect every 2,500 hrs. of Operation.								
Pending	HSN/LSN: UNK / UNK									
	HSO/LSO: N/A / N/A									

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
05-27-00	PD: 412 24 Month Inspection									
INS	PN: Flight Control System Bolts (5-32)	Insp Type: N/A	H UNK							
Serviceable	SN: 33213	Installed on: 412 Special Inspection - A/F Special	L UNK							
Repeat	Position:	Inspection - 33213	C UNK		22-Apr-2022	0	24 (M)	11.41	12.89	30-Apr-2024
Pending	HSN/LSN: UNK / UNK	Description: Inspect every 24 months.								
	HSO/LSO: N/A / N/A	Last Log: 0669-M1 (23-Apr-2015). JC 203P - 412 - 33213 (C-GCCD) - Line Maintenance.								
05-27-00	PD: 412 24 Month Inspection									
INS	PN: Main Rotor Mast Operation (5-33)	Insp Type: Mandatory	H UNK							
Serviceable	SN: 33213	Installed on: 412 Special Inspection - A/F Special	L UNK							
Repeat	Position:	Inspection - 33213	C UNK		26-Apr-2021	0	24 (M)	23.28	0.85	30-Apr-2023
Pending	HSN/LSN: UNK / UNK	Description: 412 24 Month Inspection - Main Rotor Mast Operation (5-33)								
	HSO/LSO: N/A / N/A									
08-10-00	PD: 412 Aircraft Reweigh									
INS	PN: Aircraft Reweigh (FAR 135.185)	Insp Type: N/A	H UNK							
Serviceable	SN: 33213	Installed on: 412 Special Inspection - A/F Special	L UNK							
Repeat	Position:	Inspection - 33213	C UNK		29-Apr-2022	0	60 (M)	11.18	48.89	30-Apr-2027
Pending	HSN/LSN: UNK / UNK	Description: Reweigh every 5 yrs. Heli weigh will requirement as per FAR(29.29)								
	HSO/LSO: N/A / N/A									
12-00-00	PD: 412 Intermediate Gearbox (42*) Oil									
INS	PN: Intern. Gearbox (42*) Oil (Tab12-1)	Insp Type: Hard Time	H 164.4	19975.6	19793.2	0	300	46.8	253.2	20093.2
Serviceable	SN: 33213	Installed on: 412 Lubrication Schedule - Lubrication	L UNK							
Repeat	Position:	Schedule - 33213	C UNK	31-Oct-2022	25-Oct-2022	0	6 (M)	5.29	0.69	25-Apr-2023
Pending	HSN/LSN: 164.4 / UNK	Description: Intermediate Gearbox (42*) Oil								
	HSO/LSO: N/A / N/A	DEG G/B OIL								
		Last Log: B4073-M1 (25-Oct-2022). JC 619P - 412 - 33213 (C-GCCD) - Line Maintenance.								
12-00-00	PD: 412 Tail Rotor Gearbox Oil									
INS	PN: TR Gearbox (90*) Oil (Tab 12-1)	Insp Type: Lubrication	H 164.4	19975.6	19793.2	0	300	46.8	253.2	20093.2
Serviceable	SN: 33213	Installed on: 412 Lubrication Schedule - Lubrication	L UNK							
Repeat	Position:	Schedule - 33213	C UNK	31-Oct-2022	25-Oct-2022	0	6 (M)	5.29	0.69	25-Apr-2023
Pending	HSN/LSN: 164.4 / UNK	Description: Drain & Replensih Oil (a) 300 hrs. or (b) 180 days.								
	HSO/LSO: N/A / N/A	Last Log: B4073-M1 (25-Oct-2022). JC 618P - 412 - 33213 (C-GCCD) - Line Maintenance.								
12-00-00	PD: 412 Tail Rotor Hanger Bearing									
INS	PN: TR Hanger Bearing-T/R/D/S(Tab 12-3)	Insp Type: Lubrication	H 56.2		UNK	0	300	UNK	243.8	20083.8
Serviceable	SN: 33213	Installed on: 412 Lubrication Schedule - Lubrication	L UNK							
Repeat	Position:	Schedule - 33213	C UNK		04-Sep-2022					
Pending	HSN/LSN: 56.2 / UNK	Description: Lubricate every 300 hrs.								
	HSO/LSO: N/A / N/A	Last Log: 0692-M1 (22-Sep-2015). JC 405P - 412 - 33213 (C-GCCD) - Line Maintenance.								
12-00-00	PD: 412 Transmission Oil Change									
INS	PN: Transmission Oil Change (Tab 12-1)	Insp Type: Lubrication	H UNK							
Serviceable	SN: 33213	Installed on: 412 Lubrication Schedule - Lubrication	L UNK							
Repeat	Position:	Schedule - 33213	C UNK	16-May-2015	22-Apr-2022	0	12 (M)	11.41	0.85	30-Apr-2023
Pending	HSN/LSN: UNK / UNK	Description: 412 Transmission Oil Change - (Tab 12-1)								
	HSO/LSO: N/A / N/A	Last Log: 0668-M1 (23-Apr-2015). JC 204P - 412 - 33213 (C-GCCD) - Line Maintenance.								

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
12-00-00	PD: 412 Transmission Oil Filter Change									
INS	PN: Transm. Oil Filter Change (Tab12-1)	Insp Type: Lubrication	UNK							
Serviceable	SN: 33213	Installed on: 412 Lubrication Schedule - Lubrication	UNK							
Repeat	Position:	Schedule - 33213	UNK		22-Apr-2022	0	12 (M)	11.41	0.85	30-Apr-2023
Pending	HSN/LSN: UNK / UNK	Description: Transm. Oil Filter Change (Tab12-1)								
	N/A / N/A									
24-00-00	PD: 412 Starter/Generator - OH									
INS	PN: Starter/Generator OVH	Insp Type: Hard Time	679.7		UNK	0	1000	UNK	320.3	20160.3
Serviceable	SN: 3128	Installed on: Starter/Generator - 23046-020 - 3128	UNK							
Repeat	Position:		UNK		15-Mar-2019					
Pending	HSN/LSN: 679.7 / UNK	Description: 1000 hrs OVH								
	HSD/LSO: N/A / N/A									
24-00-00	PD: 412 Starter/Generator - OH									
INS	PN: Starter/Generator OVH	Insp Type: Hard Time	632.4		19182.9	0	1000	657.1	367.6	20207.6
Serviceable	SN: 97149	Installed on: Starter/Generator - 23046-020 - 97149	UNK							
Repeat	Position:		UNK		07-Aug-2019					
Issued	HSN/LSN: 632.4 / UNK	Description: 1000 hrs OVH								
	HSD/LSO: N/A / N/A									
25-00-00	PD: 412 First Aid Kit Insp									
INS	PN: First Aid Kit Insp	Insp Type: N/A	UNK							
Serviceable	SN: 33213	Installed on: 412 Special Inspection - A/F Special	UNK							
Repeat	Position:	Inspection - 33213	UNK		22-Apr-2022	0	12 (M)	11.41	0.85	30-Apr-2023
Pending	HSN/LSN: UNK / UNK	Description: Inspect & Inventory Contents every 12 months.								
	HSD/LSO: N/A / N/A	Last Log: 0669-M1 (23-Apr-2015). JC 238P - 412 - 33213 (C-GCCD) - Line Maintenance.								
25-00-00	PD: 412 Main Driveshaft boots Retirement									
INS	PN: 1200 hrs retirement	Insp Type: Mandatory	164.4		UNK	0	1200	UNK	1035.6	20875.6
Serviceable	SN: 33213	Installed on: Driveshaft Assy, Main Transmission -	UNK							
Repeat	Position:	212-040-005-103 - A20-01426	UNK		22-Apr-2022					
Pending	HSN/LSN: 164.4 / UNK	Description: 1200 hr Retirement life for Main Driveshaft boots on the Bell 412								
	HSD/LSO: N/A / N/A	SN notes: Boots has been inspected during 600 hrs/12 months insp (5-24) -March 2020. SVC.								
25-00-00	PD: Portable fueling equipment insp and filter change									
INS	PN: Portable fuel equipment	Insp Type: Kits/Mods	UNK							
Serviceable	SN: S/N GCCD	Installed on: 412 Special Inspection - A/F Special	UNK							
Repeat	Position:	Inspection - 33213	UNK		22-Apr-2022	0	12 (M)	11.41	0.85	30-Apr-2023
Pending	HSN/LSN: UNK / UNK	Description: Portable fuel equipment to be inspected every 12 month								
	N/A / N/A									
26-00-00	PD: 412 Extinguisher, Engine Fire - Hydro Test									
INS	PN: Exting, Engine Fire - Hydro Test	Insp Type: Hard Time	UNK							
Serviceable	SN: 42858B1	Installed on: Engine Fire Extinguisher -	UNK							
Repeat	Position:	209-062-908-105 - 42858B1	UNK		UNK	0	60 (M)	UNK	46.88	28-Feb-2027
Pending	HSN/LSN: UNK / UNK	Description: Hydrostatic Test every 5 yrs.								
	HSD/LSO: N/A / N/A									

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
26-00-00 INS Serviceable Repeat Pending	PD: 412 Extinguisher, Engine Fire - Hydro Test	Insp Type: Hard Time	H	UNK						
	PN: Exting, Engine Fire - Hydro Test	Installed on: Engine Fire Extinguisher - 30402901-3 - B7850	L	UNK						
	SN: B7850 Position: HSN/LSN: UNK / UNK HSO/LSO: N/A / N/A	Description: Hydrostatic Test every 5 yrs.	C	UNK	28-Mar-2022	0	60 (M)	12.23	47.90	31-Mar-2027
26-00-00 S New Life Pending	PD: Cartridge, Extinguisher, HTL	Insp Type: N/A	H	37.1						
	PN: AE30900400	Installed on: Engine Fire Extinguisher - 209-062-908-105 - 42858B1	L	72.0						
	SN: 546 Position: HSN/LSN: 37.1 / 72.0 HSO/LSO: UNK / UNK	Description: 6 yrs. service replacement from date of manufacturer.	C		21-Apr-2020	0	72 (M)	N/A	36.89	30-Apr-2026
26-00-00 S New Life Pending	PD: Cartridge, Extinguisher, HTL	Insp Type: Life Limited Part	H	632.4						
	PN: M30900400	Installed on: Engine Fire Extinguisher - 30402901-3 - B7850	L	931.0						
	SN: 02494 Position: HSN/LSN: 632.4 / 931.0 HSO/LSO: 632.4 / 931.0	Description: 6 yrs. service replacement from date of manufacturer.	C		28-Feb-2019	0	72 (M)	N/A	22.88	28-Feb-2025
26-00-00 S Serviceable Life Pending	PD: RT-A1200 Fire Extinguisher	Insp Type: N/A	H	UNK						
	PN: 13-07660	Installed on: Bell Helicopter 412 - 412 - 33213 (C-GCCD)	L	UNK						
	SN: X-812804 Position: HSN/LSN: UNK / UNK HSO/LSO: UNK / UNK	Description: 12 years life	C	UNK	UNK	0	144 (M)	N/A	26.83	28-Jun-2025
26-00-00 S New Life Pending	PD: RT-A1200 Fire Extinguisher	Insp Type: N/A	H	2214.3						
	PN: 13-07660	Installed on: Bell Helicopter 412 - 412 - 33213 (C-GCCD)	L	4523.0						
	SN: X-817543 Position: HSN/LSN: UNK / UNK HSO/LSO: 2214.3 / 4523.0	Description: 12 years life Last Log: 2359 (02-May-2014). JC 11P - 412 - 33213 (C-GCCD) - Line Maintenance.	C	02-May-2014	02-May-2014	0	144 (M)	N/A	12.95	02-May-2024
26-00-00 S New Life Pending	PD: Squib, Cartridge	Insp Type: Life Limited Part	H	164.4						
	PN: M13083-5	Installed on: Engine Fire Extinguisher - 209-062-908-105 - 42858B1	L	UNK						
	SN: 45348 Position: HSN/LSN: 164.4 / UNK HSO/LSO: UNK / UNK	Description: 6 Year service life	C	UNK	UNK	0	72 (M)	N/A	50.89	30-Jun-2027
26-00-00 S New Life Pending	PD: Squib, Cartridge	Insp Type: Life Limited Part	H	37.1						
	PN: M13083-5	Installed on: Engine Fire Extinguisher - 30402901-3 - B7850	L	72.0						
	SN: 48034 Position: HSN/LSN: 37.1 / 72.0 HSO/LSO: UNK / UNK	Description: 6 Year service life	C		09-Aug-2022	0	72 (M)	N/A	64.96	31-Aug-2028

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF	
26-20-35 INS Serviceable Repeat Pending	PD: Fire Extinguisher, Portable - 12 Mo Insp	Insp Type: Mandatory Installed on: RT-A1200 Fire Extinguisher - 13-07660 - X-812804 Description: Weigh Check every 12 months in/a/w NFPA Code 10	H	UNK							
	PN: RTA1200		L	UNK							
	SN: X-812804		C	UNK	22-Apr-2022	0	12 (M)	11.41	0.85	30-Apr-2023	
Position: X-812804											
HSN/LSN: UNK / UNK											
HSO/LSO: N/A / N/A											
26-20-35 INS Serviceable Repeat Pending	PD: Fire Extinguisher, Portable - 12 Mo Insp	Insp Type: Mandatory Installed on: RT-A1200 Fire Extinguisher - 13-07660 - X-817543 Description: Weigh Check every 12 months in/a/w NFPA Code 10	H	UNK							
	PN: RTA1200		L	UNK							
	SN: X-817543		C	UNK	22-Apr-2022	0	12 (M)	11.41	0.85	30-Apr-2023	
Position: X-817543											
HSN/LSN: UNK / UNK											
HSO/LSO: N/A / N/A											
31-00-00 INS Serviceable Repeat Pending	PD: 412 Compass, Standby Pilot and Co-Pilot	Insp Type: Hard Time Installed on: 412 Special Inspection - A/F Special Inspection - 33213 Description: Perform compass swing every 12 months. Last Log: 0669-M1 (23-Apr-2015). JC 208P - 412 - 33213 (C-GCCD) - Line Maintenance.	H	UNK							
	PN: Compass, Standby Pilot & Co-Pilot		L	UNK							
	SN: 33213		C	UNK	22-Apr-2022	0	12 (M)	11.41	0.85	30-Apr-2023	
Position: Inspection - 33213											
HSN/LSN: UNK / UNK											
HSO/LSO: N/A / N/A											
34-00-00 INS Serviceable Repeat Pending	PD: 412 Pitot/Static Check (FAR 91.411)	Insp Type: Hard Time Installed on: Bell Helicopter 412 - 412 - 33213 (C-GCCD) Description: Recertify every 24 months Last Log: B4074-M1 (25-Oct-2022). JC 616P - 412 - 33213 (C-GCCD) - Line Maintenance.	H	UNK							
	PN: Pitot/Static Check (FAR 91.411)		L	UNK							
	SN: 33213		C	UNK	31-Oct-2022	25-Oct-2022	0	24 (M)	5.29	18.74	25-Oct-2024
Position: (C-GCCD)											
HSN/LSN: UNK / UNK											
HSO/LSO: N/A / N/A											
34-00-00 S Inspected/tested Repeat Pending	PD: Encoder/Controller TL20	Insp Type: N/A Installed on: Bell Helicopter 412 - 412 - 33213 (C-GCCD) Description: 24 months recertification SN notes: 24 month Pitot/Static Check (FAR 91.411) to be c/o at the same time and reset in RAAS Last Log: B4072-M1 (04-Oct-2022).	H	46.8							
	PN: 00649-00-01		L	90.0							
	SN: 12502		C	25-Oct-2022	05-Oct-2022	0	24 (M)	5.95	18.94	31-Oct-2024	
Position: (C-GCCD)											
HSN/LSN: UNK / UNK											
HSO/LSO: UNK / UNK											
62-00-00 INS Serviceable Repeat Pending	PD: 412 Hub and Sleeve Assy, Main Rotor - OH	Insp Type: Hard Time Installed on: Hub and Sleeve Assy, Main Rotor - 412-010-401-113 - A-734 Description: Overhaul every 2,500 hrs.	H	UNK		UNK	0	2500	UNK	98.6	19938.6
	PN: Hub and Sleeve Assy, Main Rotor OH		L	UNK							
	SN: A-734		C	UNK		UNK					
Position: 412-010-401-113 - A-734											
HSN/LSN: 2401.4 / UNK											
HSO/LSO: N/A / N/A											
62-00-00 INS Serviceable Repeat Pending	PD: 412 Swashplate and Support Assy - OH	Insp Type: Hard Time Installed on: Swashplate Assembly - 412-010-402-113 - RE-909 Description: Overhaul every 2,500 hrs.	H	UNK		UNK	0	2500	UNK	98.6	19938.6
	PN: Swashplate and Support Assy - OH		L	UNK							
	SN: RE-909		C	UNK		UNK					
Position: - RE-909											
HSN/LSN: 2401.4 / UNK											
HSO/LSO: N/A / N/A											

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF	
62-00-00 S Serviceable Life Pending	PD: Bolt droop stop (8)	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire 120 Months	H	UNK							
	PN: MS21250H05006		L	UNK							
	SN: 33213 Position: HSN/LSN: UNK / UNK HSO/LSO: UNK / UNK		C	01-Mar-2009		31-Dec-2018	0	120 (M)	N/A	68.97	31-Dec-2028
62-00-00 S Serviceable Life Pending	PD: Bolt, Gimbal Ring to Swashplate Inner Ring	Insp Type: Life Limited Part Installed on: Swashplate Assembly - 412-010-402-113 - RE-909 Description: Retire at 2,500 hrs.	H	UNK		UNK	0	2500	N/A	1634.9	21474.9
	PN: 204-011-463-109		L	UNK							
	SN: AI54637 Position: HSN/LSN: 865.1 / 1476.0 HSO/LSO: 865.1 / 1476.0		C	UNK		UNK					
62-00-00 S Serviceable Life Pending	PD: Bolt, Gimbal Ring to Swashplate Inner Ring	Insp Type: Life Limited Part Installed on: Swashplate Assembly - 412-010-402-113 - RE-909 Description: Retire at 2,500 hrs.	H	UNK		UNK	0	2500	N/A	1634.9	21474.9
	PN: 204-011-463-109		L	UNK							
	SN: PB25298 Position: HSN/LSN: 865.1 / 1476.0 HSO/LSO: 865.1 / 1476.0		C	UNK		UNK					
62-00-00 S Serviceable Life Pending	PD: Bolt, Gimbal Ring to Swashplate Support	Insp Type: Life Limited Part Installed on: Swashplate Assembly - 412-010-402-113 - RE-909 Description: Retire 2500 Hrs.	H	UNK		UNK	0	2500	N/A	1634.9	21474.9
	PN: 204-011-463-105		L	UNK							
	SN: PB10186 Position: HSN/LSN: 865.1 / 1476.0 HSO/LSO: 865.1 / 1476.0		C	UNK		UNK					
62-00-00 S Serviceable Life Pending	PD: Bolt, Gimbal Ring to Swashplate Support	Insp Type: Life Limited Part Installed on: Swashplate Assembly - 412-010-402-113 - RE-909 Description: Retire 2500 Hrs.	H	UNK		UNK	0	2500	N/A	1634.9	21474.9
	PN: 204-011-463-105		L	UNK							
	SN: PB10206 Position: HSN/LSN: 865.1 / 1476.0 HSO/LSO: 865.1 / 1476.0		C	UNK		UNK					
62-00-00 S Serviceable Life Pending	PD: Cap Retention, Main Rotor	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 10,000 hrs.	H	UNK		UNK	0	10000	N/A	5936.3	25776.3
	PN: 412-010-171-101		L	UNK							
	SN: A-838 Position: HSN/LSN: 4063.7 / UNK HSO/LSO: UNK / UNK		C	UNK		UNK					
62-00-00 S Serviceable Life Pending	PD: Collective Lever Assy	Insp Type: Life Limited Part Installed on: Swashplate Assembly - 412-010-402-113 - RE-909 Description: Retire at 10,000 hrs, unless used with BLR system. In this case 5000 SN notes: Life time has been reduced to 5000 hrs IAW ASB 412-12-151 due to BLR kit being installed. If collective lever moved separately from the Swashplate assy check OVH and Life time remaining.	H	865.1		UNK	0	10000	N/A	3713.1	23553.1
	PN: 412-010-408-101		L	UNK							
	SN: RE23 Position: HSN/LSN: 1286.9 / UNK HSO/LSO: 1286.9 / UNK		C	UNK		UNK					

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
62-00-00 S Serviceable Life Pending	PD: Collective Sleeve	Insp Type: Life Limited Part Installed on: Hub and Sleeve Assy, Main Rotor - 412-010-401-113 - A-734 Description: Retire at 9,000 hrs.	H	UNK	UNK	0	9000	N/A	4240.3	24080.3
	PN: 204-011-408-107		L	UNK						
	SN: MWFS699		C	UNK	UNK					
Position: 412-010-401-113 - A-734										
HSN/LSN: 4759.7 / UNK										
HSO/LSO: UNK / UNK										
62-00-00 S Serviceable Life Pending	PD: Cone Seat, Lower	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 10,000 hrs.	H	UNK	UNK	0	10000	N/A	4385.4	24225.4
	PN: 412-018-056-105		L	UNK						
	SN: A-701		C	UNK	UNK					
Position: 412-010-100-193FM - AAD-00064										
HSN/LSN: 5614.6 / UNK										
HSO/LSO: 5614.6 / 933.0										
62-00-00 S Serviceable Life Pending	PD: Cone Seat, Upper	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 10,000 hrs.	H	UNK	UNK	0	10000	N/A	6158.5	25998.5
	PN: 412-010-186-103		L	UNK						
	SN: A-461		C	UNK	UNK					
Position: 412-010-100-193FM - AAD-00064										
HSN/LSN: 3841.5 / UNK										
HSO/LSO: UNK / UNK										
62-00-00 S Serviceable Life Pending	PD: Cone, Lower, Main Rotor	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 10,000 hrs.	H	UNK	UNK	0	10000	N/A	4123.3	23963.3
	PN: 412-010-179-105		L	UNK						
	SN: A-1064		C	UNK	UNK					
Position: 412-010-100-193FM - AAD-00064										
HSN/LSN: 5876.7 / UNK										
HSO/LSO: UNK / UNK										
62-00-00 S Serviceable Life Pending	PD: Cone, Upper, Main Rotor	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 10,000 hrs.	H	UNK	UNK	0	10000	N/A	5936.3	25776.3
	PN: 412-010-165-101		L	UNK						
	SN: A-1024		C	UNK	UNK					
Position: 412-010-100-193FM - AAD-00064										
HSN/LSN: 4063.7 / UNK										
HSO/LSO: UNK / UNK										
62-00-00 S Repaired Life Pending	PD: Drive Link Assy, Hub and Sleeve	Insp Type: Life Limited Part Installed on: Hub and Sleeve Assy, Main Rotor - 412-010-401-113 - A-734 Description: Retire at 5,000 hrs. Last Log: B3254-M2 (02-Oct-2020).	H	593.6	UNK	0	5000	N/A	2598.6	22438.6
	PN: 412-010-405-111		L	771.0						
	SN: MJ000187		C	02-Oct-2020	UNK					
Position: 412-010-401-113 - A-734										
HSN/LSN: 2401.4 / UNK										
HSO/LSO: UNK / UNK										
62-00-00 S Repaired Life Pending	PD: Drive Link Assy, Hub and Sleeve	Insp Type: Life Limited Part Installed on: Hub and Sleeve Assy, Main Rotor - 412-010-401-113 - A-734 Description: Retire at 5,000 hrs. Last Log: B3254-M2 (02-Oct-2020).	H	593.6	UNK	0	5000	N/A	2598.6	22438.6
	PN: 412-010-405-111		L	771.0						
	SN: MJ000188		C	02-Oct-2020	UNK					
Position: 412-010-401-113 - A-734										
HSN/LSN: 2401.4 / UNK										
HSO/LSO: UNK / UNK										

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
62-00-00 S Serviceable Life Pending	PD: Drive Pin, Hub	Insp Type: Life Limited Part	H	UNK	UNK	0	10000	N/A	6158.5	25998.5
	PN: 412-010-166-101		L	UNK						
	SN: AX1353		C	UNK	UNK					
Position: 412-010-100-193FM - AAD-00064		Installed on: Hub Assy, Main Rotor -								
HSN/LSN: 3841.5 / UNK		Description: Retire at 10,000 hrs.								
HSO/LSO: UNK / UNK										
62-00-00 S Serviceable Life Pending	PD: Drive Pin, Hub	Insp Type: Life Limited Part	H	UNK	UNK	0	10000	N/A	6158.5	25998.5
	PN: 412-010-166-101		L	UNK						
	SN: AX1357		C	UNK	UNK					
Position: 412-010-100-193FM - AAD-00064		Installed on: Hub Assy, Main Rotor -								
HSN/LSN: 3841.5 / UNK		Description: Retire at 10,000 hrs.								
HSO/LSO: UNK / UNK										
62-00-00 S Serviceable Life Pending	PD: Drive Pin, Hub	Insp Type: Life Limited Part	H	UNK	UNK	0	10000	N/A	6158.5	25998.5
	PN: 412-010-166-101		L	UNK						
	SN: AX1370		C	UNK	UNK					
Position: 412-010-100-193FM - AAD-00064		Installed on: Hub Assy, Main Rotor -								
HSN/LSN: 3841.5 / UNK		Description: Retire at 10,000 hrs.								
HSO/LSO: UNK / UNK										
62-00-00 S Serviceable Life Pending	PD: Drive Pin, Hub	Insp Type: Life Limited Part	H	UNK	UNK	0	10000	N/A	6158.5	25998.5
	PN: 412-010-166-101		L	UNK						
	SN: AX1385		C	UNK	UNK					
Position: 412-010-100-193FM - AAD-00064		Installed on: Hub Assy, Main Rotor -								
HSN/LSN: 3841.5 / UNK		Description: Retire at 10,000 hrs.								
HSO/LSO: UNK / UNK										
62-00-00 S Serviceable Life Pending	PD: Drive Pin, Hub	Insp Type: Life Limited Part	H	UNK	UNK	0	10000	N/A	6158.5	25998.5
	PN: 412-010-166-101		L	UNK						
	SN: AX1607		C	UNK	UNK					
Position: 412-010-100-193FM - AAD-00064		Installed on: Hub Assy, Main Rotor -								
HSN/LSN: 3841.5 / UNK		Description: Retire at 10,000 hrs.								
HSO/LSO: UNK / UNK										
62-00-00 S Serviceable Life Pending	PD: Drive Pin, Hub	Insp Type: Life Limited Part	H	UNK	UNK	0	10000	N/A	6158.5	25998.5
	PN: 412-010-166-101		L	UNK						
	SN: AX1628		C	UNK	UNK					
Position: 412-010-100-193FM - AAD-00064		Installed on: Hub Assy, Main Rotor -								
HSN/LSN: 3841.5 / UNK		Description: Retire at 10,000 hrs.								
HSO/LSO: UNK / UNK										
62-00-00 S Serviceable Life Pending	PD: Drive Pin, Hub	Insp Type: Life Limited Part	H	UNK	UNK	0	10000	N/A	6158.5	25998.5
	PN: 412-010-166-101		L	UNK						
	SN: AX1631		C	UNK	UNK					
Position: 412-010-100-193FM - AAD-00064		Installed on: Hub Assy, Main Rotor -								
HSN/LSN: 3841.5 / UNK		Description: Retire at 10,000 hrs.								
HSO/LSO: UNK / UNK										

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
62-00-00 S Serviceable Life Pending	PD: Drive Pin, Hub	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 10,000 hrs.	H	UNK	UNK	0	10000	N/A	6158.5	25998.5
	PN: 412-010-166-101		L	UNK						
	SN: AX1689 Position: HSN/LSN: 3841.5 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK					
62-00-00 S Serviceable Life Pending	PD: Fitting	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 5,000 hrs.	H	UNK	UNK	0	5000	N/A	1006.8	20846.8
	PN: 412-010-111-103		L	UNK						
	SN: A-5296 Position: HSN/LSN: 3993.2 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK					
62-00-00 S Serviceable Life Pending	PD: Fitting	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 5,000 hrs.	H	UNK	UNK	0	5000	N/A	1006.8	20846.8
	PN: 412-010-111-103		L	UNK						
	SN: A-5298 Position: HSN/LSN: 3993.2 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK					
62-00-00 S Serviceable Life Pending	PD: Fitting	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 5,000 hrs.	H	UNK	UNK	0	5000	N/A	1006.8	20846.8
	PN: 412-010-111-103		L	UNK						
	SN: A-5299 Position: HSN/LSN: 3993.2 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK					
62-00-00 S Serviceable Life Pending	PD: Fitting	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 5,000 hrs.	H	UNK	UNK	0	5000	N/A	1158.5	20998.5
	PN: 412-010-111-103		L	UNK						
	SN: A-6134 Position: HSN/LSN: 3841.5 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK					
62-00-00 S Serviceable Life Pending	PD: Gimbal Ring, Swashplate	Insp Type: Life Limited Part Installed on: Swashplate Assembly - 412-010-402-113 - RE-909 Description: Retire at 9,000 hrs	H	UNK	UNK	0	9000	N/A	2788.9	22628.9
	PN: 204-010-404-001		L	UNK						
	SN: REFS1849 Position: HSN/LSN: 6211.1 / UNK HSO/LSO: 6211.1 / 3553.0		C	UNK	UNK					
62-00-00 S Serviceable Life Pending	PD: Outer Ring, Swashplate	Insp Type: Life Limited Part Installed on: Swashplate Assembly - 412-010-402-113 - RE-909 Description: Retire at 10,000 hrs.	H	UNK	UNK	0	10000	N/A	476.2	20316.2
	PN: 412-010-407-117		L	UNK						
	SN: RE1226 Position: HSN/LSN: 9523.8 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK					

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
62-00-00 S Serviceable Life Pending	PD: Pitch Horn Assembly, M/R	Insp Type: Life Limited Part	H	UNK	UNK	0	15000	N/A	11158.5	30998.5
	PN: 412-010-149-111		L	UNK						
	SN: A-1875		C	UNK	UNK					
Position: 412-010-100-193FM - AAD-00064		Installed on: Hub Assy, Main Rotor -								
HSN/LSN: 3841.5 / UNK		Description: Retire at 15,000 hrs.								
HSO/LSO: UNK / UNK										
62-00-00 S Serviceable Life Pending	PD: Pitch Horn Assembly, M/R	Insp Type: Life Limited Part	H	UNK	UNK	0	15000	N/A	4104.2	23944.2
	PN: 412-010-149-111		L	UNK						
	SN: A-1942		C	UNK	UNK					
Position: 412-010-100-193FM - AAD-00064		Installed on: Hub Assy, Main Rotor -								
HSN/LSN: 10895.8 / UNK		Description: Retire at 15,000 hrs.								
HSO/LSO: UNK / UNK										
62-00-00 S Serviceable Life Pending	PD: Pitch Horn Assembly, M/R	Insp Type: Life Limited Part	H	1953.7	UNK	0	15000	N/A	10654.9	30494.9
	PN: 412-010-149-111		L	UNK						
	SN: A-5487		C	UNK	UNK					
Position: 412-010-100-193FM - AAD-00064		Installed on: Hub Assy, Main Rotor -								
HSN/LSN: 4345.1 / UNK		Description: Retire at 15,000 hrs.								
HSO/LSO: UNK / UNK										
62-00-00 S Serviceable Life Pending	PD: Pitch Horn Assembly, M/R	Insp Type: Life Limited Part	H	UNK	UNK	0	15000	N/A	11158.5	30998.5
	PN: 412-010-149-111		L	UNK						
	SN: A-5640		C	UNK	UNK					
Position: 412-010-100-193FM - AAD-00064		Installed on: Hub Assy, Main Rotor -								
HSN/LSN: 3841.5 / UNK		Description: Retire at 15,000 hrs.								
HSO/LSO: UNK / UNK										
62-00-00 INS Serviceable Repeat Pending	PD: Pitch Link Assy, Main Rotor Overhaul	Insp Type: Mandatory	H	691.4	UNK	0	2500	UNK	1808.6	21648.6
	PN: Pitch Link Assy, Main Rotor Overhaul		L	UNK						
	SN: A-6090		C	UNK	31-Jan-2020					
Position: 412-010-425-133 - A-6090		Installed on: Pitch Link Assy, Main Rotor -								
HSN/LSN: 691.4 / UNK		Description: Pitch Link Assy, Main Rotor Overhaul, 2500 Hrs								
HSO/LSO: N/A / N/A										
62-00-00 INS Serviceable Repeat Pending	PD: Pitch Link Assy, Main Rotor Overhaul	Insp Type: Mandatory	H	691.4	UNK	0	2500	UNK	1808.6	21648.6
	PN: Pitch Link Assy, Main Rotor Overhaul		L	UNK						
	SN: A-6141		C	UNK	31-Jan-2020					
Position: 412-010-425-135 - A-6141		Installed on: Pitch Link Assy, Main Rotor -								
HSN/LSN: 691.4 / UNK		Description: Pitch Link Assy, Main Rotor Overhaul, 2500 Hrs								
HSO/LSO: N/A / N/A										
62-00-00 INS Serviceable Repeat Pending	PD: Pitch Link Assy, Main Rotor Overhaul	Insp Type: Mandatory	H	691.4	UNK	0	2500	UNK	1808.6	21648.6
	PN: Pitch Link Assy, Main Rotor Overhaul		L	UNK						
	SN: A-6530		C	UNK	31-Jan-2020					
Position: 412-010-425-133 - A-6530		Installed on: Pitch Link Assy, Main Rotor -								
HSN/LSN: 691.4 / UNK		Description: Pitch Link Assy, Main Rotor Overhaul, 2500 Hrs								
HSO/LSO: N/A / N/A										

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF	
62-00-00 INS Serviceable Repeat Pending	PD: Pitch Link Assy, Main Rotor Overhaul	Insp Type: Mandatory Installed on: Pitch Link Assy, Main Rotor - 412-010-425-135 - A-6630 Description: Pitch Link Assy, Main Rotor Overhaul, 2500 Hrs	H	691.4		UNK	0	2500	UNK	1808.6	21648.6
	PN: Pitch Link Assy, Main Rotor Overhaul		L	UNK							
	SN: A-6630 Position: HSN/LSN: 691.4 / UNK HSO/LSO: N/A / N/A		C	UNK		31-Jan-2020					
62-00-00 S Serviceable Life Pending	PD: Rephasing Lever Assy	Insp Type: Life Limited Part Installed on: Hub and Sleeve Assy, Main Rotor - 412-010-401-113 - A-734 Description: Retire at 5,000 hrs.	H	UNK		UNK	0	5000	N/A	31.6	19871.6
	PN: 412-010-403-113		L	UNK							
	SN: A-6320 Position: HSN/LSN: 4968.4 / UNK HSO/LSO: UNK / UNK		C	UNK		UNK					
62-00-00 S Serviceable Life Pending	PD: Rephasing Lever Assy	Insp Type: Life Limited Part Installed on: Hub and Sleeve Assy, Main Rotor - 412-010-401-113 - A-734 Description: Retire at 5,000 hrs.	H	UNK		UNK	0	5000	N/A	31.6	19871.6
	PN: 412-010-403-113		L	UNK							
	SN: A-6656 Position: HSN/LSN: 4968.4 / UNK HSO/LSO: UNK / UNK		C	UNK		UNK					
62-00-00 S Serviceable Life Pending	PD: Rephasing Lever Assy	Insp Type: Life Limited Part Installed on: Hub and Sleeve Assy, Main Rotor - 412-010-401-113 - A-734 Description: Retire at 5,000 hrs.	H	UNK		UNK	0	5000	N/A	31.6	19871.6
	PN: 412-010-403-117		L	UNK							
	SN: A-6527 Position: HSN/LSN: 4968.4 / UNK HSO/LSO: UNK / UNK		C	UNK		UNK					
62-00-00 S Serviceable Life Pending	PD: Rephasing Lever Assy	Insp Type: Life Limited Part Installed on: Hub and Sleeve Assy, Main Rotor - 412-010-401-113 - A-734 Description: Retire at 5,000 hrs.	H	UNK		UNK	0	5000	N/A	31.6	19871.6
	PN: 412-010-403-117		L	UNK							
	SN: A-6566 Position: HSN/LSN: 4968.4 / UNK HSO/LSO: UNK / UNK		C	UNK		UNK					
62-00-00 INS Serviceable Life Pending	PD: Rephasing Lever-To-Hub Bolts (4) 2500 hrs Life	Insp Type: Mandatory Installed on: Hub and Sleeve Assy, Main Rotor - 412-010-401-113 - A-734 Description: Rephasing Lever-To-Hub Bolts (4) 2500 hrs Life SN notes: If Hub & Sleeve Assy removed, these bolts have to stay with it as per John H. April 7, 2022	H	164.4		UNK	0	2500	N/A	2335.6	22175.6
	PN: 20-057-8-84D-Life Tracking		L	UNK							
	SN: A-734 Position: HSN/LSN: 164.4 / UNK HSO/LSO: N/A / N/A		C	UNK		10-Apr-2022					
62-00-00 S Serviceable Life Pending	PD: Rod End Bearing, Swashplate Link	Insp Type: Life Limited Part Installed on: Hub and Sleeve Assy, Main Rotor - 412-010-401-113 - A-734 Description: Retire at 5,000 hrs.	H	UNK		UNK	0	5000	N/A	1596.3	21436.3
	PN: 412-310-400-103		L	UNK							
	SN: NH33576 Position: HSN/LSN: 3403.7 / UNK HSO/LSO: UNK / UNK		C	UNK		UNK					

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
62-00-00 S Serviceable Life Pending	PD: Rod End Bearing, Swashplate Link	Insp Type: Life Limited Part Installed on: Hub and Sleeve Assy, Main Rotor - 412-010-401-113 - A-734 Description: Retire at 5,000 hrs.	H	UNK	UNK	0	5000	N/A	1480.9	21320.9
	PN: 412-310-400-103		L	UNK						
	SN: NH34033 Position: HSN/LSN: 3519.1 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK					
62-00-00 S Serviceable Life Pending	PD: Rod End Bearing, Swashplate Link	Insp Type: Life Limited Part Installed on: Hub and Sleeve Assy, Main Rotor - 412-010-401-113 - A-734 Description: Retire at 5,000 hrs.	H	UNK	UNK	0	5000	N/A	1596.3	21436.3
	PN: 412-310-400-105		L	UNK						
	SN: NH5630 Position: HSN/LSN: 3403.7 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK					
62-00-00 S Serviceable Life Pending	PD: Rod End Bearing, Swashplate Link	Insp Type: Life Limited Part Installed on: Hub and Sleeve Assy, Main Rotor - 412-010-401-113 - A-734 Description: Retire at 5,000 hrs.	H	UNK	UNK	0	5000	N/A	1480.9	21320.9
	PN: 412-310-400-105		L	UNK						
	SN: NH6828 Position: HSN/LSN: 3519.1 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK					
62-00-00 S Serviceable Life Pending	PD: Splined Plate Drive Assembly, Main Rotor	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 10,000 hrs.	H	UNK	UNK	0	10000	N/A	6158.5	25998.5
	PN: 412-010-177-105		L	UNK						
	SN: A-716 Position: HSN/LSN: 3841.5 / 14232.0 HSO/LSO: UNK / UNK		C	UNK	UNK					
62-00-00 INS Serviceable Life Pending	PD: Splined Plate Drive Assembly, Main Rotor RIN	Insp Type: Life Limited Part Installed on: 412 RIN Counter Assembly - Seperate Time Tracked RIN Items - 33213 Description: Retire at 80,000 RINs. 412 & 412EP or 60,000 for the HP, EP models	H	UNK						
	PN: 412-010-177-105		L	7070.0	UNK	0	60000	N/A	42418.0	96587.0
	SN: A-716 Position: HSN/LSN: UNK / 17582.0 HSO/LSO: N/A / N/A		C	UNK	UNK					
62-00-00 S Serviceable Life Pending	PD: Swashplate support	Insp Type: Life Limited Part Installed on: Swashplate Assembly - 412-010-402-113 - RE-909 Description: Retire 15,000Hrs.	H	UNK	UNK	0	15000	N/A	9927.7	29767.7
	PN: 412-010-453-105		L	UNK						
	SN: RE724 Position: HSN/LSN: 5072.3 / 1476.0 HSO/LSO: 5072.3 / 1476.0		C	UNK	UNK					
62-10-00 INS Serviceable Repeat Pending	PD: 412 Blade, Main Rotor 2500 Hr Insp	Insp Type: Hard Time Installed on: Blade, Main Rotor - 412-015-300-109 - A-1027 Description: Inspect every 2,500 hrs. Replace On Condition.	H	164.4	19675.6	0	2500	164.4	2335.6	22175.6
	PN: Blade, Main Rotor 2500 Hr Insp (5-35)		L	UNK						
	SN: A-1027 Position: Red HSN/LSN: 164.4 / UNK HSO/LSO: N/A / N/A		C	UNK	29-Apr-2022					

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
62-10-00 INS Serviceable Repeat Pending	PD: 412 Blade, Main Rotor 2500 Hr Insp	Insp Type: Hard Time Installed on: Blade, Main Rotor - 412-015-300-109 - A-1494 Description: Inspect every 2,500 hrs. Replace On Condition.	H	164.4	19675.6	0	2500	164.4	2335.6	22175.6
	PN: Blade, Main Rotor 2500 Hr Insp (5-35)		L	UNK						
	SN: A-1494 Position: Green HSN/LSN: 164.4 / UNK HSO/LSO: N/A / N/A		C	UNK	29-Apr-2022					
62-10-00 INS Serviceable Repeat Pending	PD: 412 Blade, Main Rotor 2500 Hr Insp	Insp Type: Hard Time Installed on: Blade, Main Rotor - 412-015-300-109 - A-1631 Description: Inspect every 2,500 hrs. Replace On Condition.	H	164.4	19675.6	0	2500	164.4	2335.6	22175.6
	PN: Blade, Main Rotor 2500 Hr Insp (5-35)		L	UNK						
	SN: A-1631 Position: Orange HSN/LSN: 164.4 / UNK HSO/LSO: N/A / N/A		C	UNK	29-Apr-2022					
62-10-00 INS Serviceable Repeat Pending	PD: 412 Blade, Main Rotor 2500 Hr Insp	Insp Type: Hard Time Installed on: Blade, Main Rotor - 412-015-300-109 - A-3932 Description: Inspect every 2,500 hrs. Replace On Condition.	H	164.4	19675.6	0	2500	164.4	2335.6	22175.6
	PN: Blade, Main Rotor 2500 Hr Insp (5-35)		L	UNK						
	SN: A-3932 Position: ORANGE HSN/LSN: 164.4 / UNK HSO/LSO: N/A / N/A		C	UNK	29-Apr-2022					
62-10-00 S New Life Pending	PD: Bolt, Blade Retention	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 5,000 hrs. Last Log: 0607-M1 (03-Jan-2015). JC 305P - 412 - 36009 (C-FCCK) - Line Maintenance.	H	UNK	UNK	0	5000	N/A	1499.3	21339.3
	PN: 412-010-124-109		L	UNK						
	SN: A-4050 Position: BLUE HSN/LSN: 3500.7 / UNK HSO/LSO: 3500.7 / 4626.0		C	UNK	UNK					
62-10-00 S Serviceable Life Pending	PD: Bolt, Blade Retention	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 5,000 hrs.	H	UNK	UNK	0	5000	N/A	100.6	19940.6
	PN: 412-010-124-109		L	UNK						
	SN: A-5966 Position: BLUE HSN/LSN: 4899.4 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK					
62-10-00 S Serviceable Life Pending	PD: Bolt, Blade Retention	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 5,000 hrs.	H	UNK	UNK	0	5000	N/A	3862.7	23702.7
	PN: 412-010-124-109		L	UNK						
	SN: AZ2449 Position: ORANGE HSN/LSN: 1137.3 / 2093.0 HSO/LSO: 1137.3 / 2093.0		C	UNK	UNK					
62-10-00 S Serviceable Life Pending	PD: Bolt, Blade Retention	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 5,000 hrs.	H	UNK	UNK	0	5000	N/A	3862.7	23702.7
	PN: 412-010-124-109		L	UNK						
	SN: AZ2452 Position: GREEN HSN/LSN: 1137.3 / 2093.0 HSO/LSO: 1137.3 / 2093.0		C	UNK	UNK					

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
62-10-00 S Serviceable Life Pending	PD: Bolt, Blade Retention	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 5,000 hrs.	H	UNK	UNK	0	5000	N/A	3862.7	23702.7
	PN: 412-010-124-109		L	UNK						
	SN: AZ2522 Position: ORANGE		C	UNK	UNK					
HSN/LSN: 1137.3 / 2093.0 HSO/LSO: 1137.3 / 2093.0										
62-10-00 S Serviceable Life Pending	PD: Bolt, Blade Retention	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 5,000 hrs.	H	UNK	UNK	0	5000	N/A	3862.7	23702.7
	PN: 412-010-124-109		L	UNK						
	SN: AZ2546 Position: GREEN		C	UNK	UNK					
HSN/LSN: 1137.3 / 2093.0 HSO/LSO: 1137.3 / 2093.0										
62-10-00 S Inspected/tested Life Pending	PD: Bolt, Blade Retention	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 5,000 hrs. Last Log: B3280-M3 (08-Jul-2021).	H	399.6	UNK	0	5000	N/A	2227.7	22067.7
	PN: 412-010-124-109		L	515.0						
	SN: FE2196 Position:		C	08-Jul-2021	UNK					
HSN/LSN: 2772.3 / UNK HSO/LSO: 2772.3 / 515.0										
62-10-00 S Inspected/tested Life Pending	PD: Bolt, Blade Retention	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 5,000 hrs. Last Log: B3280-M3 (08-Jul-2021).	H	399.6	UNK	0	5000	N/A	2227.7	22067.7
	PN: 412-010-124-109		L	515.0						
	SN: FE2223 Position:		C	08-Jul-2021	UNK					
HSN/LSN: 2772.3 / UNK HSO/LSO: 2772.3 / 515.0										
62-20-00 INS Serviceable Repeat Pending	PD: 412 Hub Assy, Main Rotor - Special 2500 Hr Insp.	Insp Type: Hard Time Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: On Condition. Special Insp. required each 2500 hrs (par 5-28 and 5-29)	H	1458.5	18977.4	0	2500	862.6	1041.5	20881.5
	PN: Hub Assy, Main Rotor - 2500 Hr Insp		L	UNK						
	SN: AAD-00064 Position:		C	UNK	UNK					
HSN/LSN: 1458.5 / UNK HSO/LSO: N/A / N/A										
62-20-00 S Serviceable Life Pending	PD: Bearing Assy, Spindle and Damper	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 10,000 hrs.	H	UNK	UNK	0	10000	N/A	5740.7	25580.7
	PN: 412-010-190-103		L	UNK						
	SN: A-3061 Position: Blue		C	UNK	UNK					
HSN/LSN: 4259.3 / 1183.0 HSO/LSO: 4259.3 / 1183.0										
62-20-00 S Removed Service Life Pending	PD: Bearing Assy, Spindle and Damper	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 10,000 hrs. Last Log: 2432-M (19-Sep-2014).	H	UNK	UNK	0	10000	N/A	4580.3	24420.3
	PN: 412-010-190-103		L	UNK						
	SN: DN1025 Position: Red		C	UNK	UNK					
HSN/LSN: 5419.7 / UNK HSO/LSO: UNK / UNK										

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
62-20-00 S Serviceable Life Pending	PD: Bearing Assy, Spindle and Damper	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 10,000 hrs.	H	UNK	UNK	0	10000	N/A	3842.0	23682.0
	PN: 412-010-190-103		L	UNK						
	SN: DN809 Position: Green		C	UNK	UNK					
HSN/LSN: 6158.0 / UNK HSO/LSO: UNK / UNK										
62-20-00 S Serviceable Life Pending	PD: Bearing Assy, Spindle and Damper	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 10,000 hrs.	H	UNK	UNK	0	10000	N/A	5621.8	25461.8
	PN: 412-010-190-103		L	UNK						
	SN: LK1439 Position:		C	UNK	UNK					
HSN/LSN: 4378.2 / 939.0 HSO/LSO: 4378.2 / 939.0										
62-20-00 S Serviceable Life Pending	PD: Bridge Assy, Damper	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 10,000 hrs. / 180 Months	H	UNK	UNK	0	10000	N/A	6158.5	25998.5
	PN: 412-010-170-105		L	UNK						
	SN: A-5194 Position:		C	UNK	UNK	0	180 (M)	N/A	11.93	01-Apr-2024
HSN/LSN: 3841.5 / UNK HSO/LSO: UNK / UNK										
62-20-00 S Serviceable Life Pending	PD: Bridge Assy, Damper	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 10,000 hrs. / 180 Months	H	UNK	UNK	0	10000	N/A	6878.0	26718.0
	PN: 412-010-170-105		L	UNK						
	SN: A-5198 Position:		C	UNK	UNK	0	180 (M)	N/A	41.69	23-Sep-2026
HSN/LSN: 3122.0 / UNK HSO/LSO: UNK / UNK										
62-20-00 S Serviceable Life Pending	PD: Bridge Assy, Damper	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 10,000 hrs. / 180 Months	H	UNK	UNK	0	10000	N/A	6878.0	26718.0
	PN: 412-010-170-105		L	UNK						
	SN: M0185 Position:		C	UNK	UNK	0	180 (M)	N/A	41.69	23-Sep-2026
HSN/LSN: 3122.0 / UNK HSO/LSO: UNK / UNK										
62-20-00 S Serviceable Life Pending	PD: Bridge Assy, Damper	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 10,000 hrs. / 180 Months	H	UNK	UNK	0	10000	N/A	7275.2	27115.2
	PN: 412-010-170-105		L	UNK						
	SN: M0188 Position:		C	UNK	UNK	0	180 (M)	N/A	44.68	23-Dec-2026
HSN/LSN: 2724.8 / UNK HSO/LSO: UNK / UNK										
62-20-00 S Serviceable Life Pending	PD: Bridge Assy, Damper	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 15,000 hrs.	H	UNK	UNK	0	15000	N/A	11158.5	30998.5
	PN: 412-010-185-109		L	UNK						
	SN: A-109 Position:		C	UNK	UNK					
HSN/LSN: 3841.5 / UNK HSO/LSO: 3841.5 / UNK										

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
62-20-00 S Serviceable Life Pending	PD: Bridge Assy, Damper	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 15,000 hrs.	H	UNK	UNK	0	15000	N/A	7313.7	27153.7
	PN: 412-010-185-109		L	UNK						
	SN: A-1923 Position: HSN/LSN: 7686.3 / UNK HSO/LSO: UNK / 5061.0		C	UNK	UNK					
62-20-00 S Serviceable Life Pending	PD: Bridge Assy, Damper	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 15,000 hrs.	H	UNK	UNK	0	15000	N/A	7313.7	27153.7
	PN: 412-010-185-109		L	UNK						
	SN: A-1925 Position: HSN/LSN: 7686.3 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK					
62-20-00 S Serviceable Life Pending	PD: Bridge Assy, Damper	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 15,000 hrs.	H	UNK	UNK	0	15000	N/A	7313.7	27153.7
	PN: 412-010-185-109		L	UNK						
	SN: A-1927 Position: HSN/LSN: 7686.3 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK					
62-20-00 S Serviceable Life Pending	PD: Yoke Assembly, Main Rotor	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 5,000 hrs. (4,500 hrs. per SB 412-98-93).	H	UNK	UNK	0	5000	N/A	1158.5	20998.5
	PN: 412-010-101-129		L	UNK						
	SN: A-3364 Position: HSN/LSN: 3841.5 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK					
62-20-00 S Serviceable Life Pending	PD: Yoke Assembly, Main Rotor	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 5,000 hrs. (4,500 hrs. per SB 412-98-93).	H	UNK	UNK	0	5000	N/A	1158.5	20998.5
	PN: 412-010-101-129		L	UNK						
	SN: A-3506 Position: HSN/LSN: 3841.5 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK					
62-30-00 INS Serviceable Repeat Pending	PD: 412 3000 Hr, Mast Inspection	Insp Type: N/A Installed on: Mast Assy, Main Rotor - 412-040-366-105 - A9-00025 Description: Inspect every 3,000 hrs. of Operation. (Mid life) SN notes: Special insp being c/o as per Table 5-1 note # 19 Bell 412 MM	H	1593.2	15043.6	0	3000	4796.4	714.9	20554.9
	PN: 3000 Hr, Mast Inspection		L	UNK						
	SN: 33213 Position: HSN/LSN: 2285.1 / UNK HSO/LSO: N/A / N/A		C	UNK	UNK					
62-30-00 INS Serviceable Repeat Issued	PD: 412 Mast Assy, Main Rotor - OH	Insp Type: Hard Time Installed on: Mast Assy, Main Rotor - 412-040-366-105 - A9-00025 Description: Overhaul every 5,000 hrs.	H	1111.7	UNK	100	5000	UNK	2714.9	22554.9
	PN: Mast Assy, Main Rotor - 5000 hrs OVH		L	UNK						
	SN: A9-00025 Position: HSN/LSN: 2285.1 / UNK HSO/LSO: N/A / N/A		C	UNK	UNK					

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF	
62-30-00 S Serviceable Life Pending	PD: Bolt (16 ea.), Dampener Bracket	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 15,000 hrs.	H	UNK		UNK	0	15000	N/A	11158.5	30998.5
	PN: EWB0420D-7-36		L	UNK							
	SN: 33213 Position: HSN/LSN: 3841.5 / UNK HSO/LSO: UNK / UNK		C	UNK		UNK					
62-30-00 INS Serviceable Life Pending	PD: Mast Pole	Insp Type: Life Limited Part Installed on: 412 RIN Counter Assembly - Seperate Time Tracked RIN Items - 33213 Description: Retire at 80,000 RIN's. 412 and 412EP or 60,000 for the HP EP models	H	UNK							
	PN: 412-040-101-127 RIN Replacement		L	UNK		UNK	0	80000	N/A	57092.0	111261.0
	SN: A-493 Position: HSN/LSN: UNK / 22908.0 HSO/LSO: N/A / N/A		C	UNK		UNK					
62-30-00 S Overhauled Life Pending	PD: Mast Pole	Insp Type: Life Limited Part Installed on: Mast Assy, Main Rotor - 412-040-366-105 - A9-00025 Description: Retire at 10,000 hrs.	H	1688.8		UNK	0	10000	N/A	2825.1	22665.1
	PN: 412-040-101-127R		L	UNK							
	SN: A-493 Position: HSN/LSN: 7174.9 / UNK HSO/LSO: UNK / UNK		C	UNK		UNK					
63-00-00 INS Serviceable Repeat Pending	PD: 412 3000 Hr, Transmission	Insp Type: N/A Installed on: Transmission Assy, Main Rotor - 412-040-002-113FM - A-13 Description: Inspect every 3,000 hrs. of Operation. SN notes: **REMINDER TO C/O ALL REQUIREMENTS OF AD US 2022-20-14**	H	1672.8		16459.4	0	3000	3380.6	1327.2	21167.2
	PN: 3000 Hr Transmission Insp.		L	UNK							
	SN: 33213 Position: HSN/LSN: 1672.8 / UNK HSO/LSO: N/A / N/A		C	UNK		UNK					
63-10-00 INS Serviceable Repeat Pending	PD: 412 Driveshaft Assy, Main Transmission - OH	Insp Type: Hard Time Installed on: Driveshaft Assy, Main Transmission - 212-040-005-103 - A20-01426 Description: Overhaul every 3,000 hrs.	H	164.4		UNK	0	3000	UNK	2835.6	22675.6
	PN: Driveshaft Assy, Main Trans OH		L	UNK							
	SN: A20-01426 Position: HSN/LSN: 164.4 / UNK HSO/LSO: N/A / N/A		C	UNK		18-Apr-2022					
63-20-00 INS Serviceable Repeat Pending	PD: 412 Transmission Assy, Main Rotor - OH	Insp Type: Hard Time Installed on: Transmission Assy, Main Rotor - 412-040-002-113FM - A-13 Description: Overhaul every 6,000 hrs. SN notes: **REMINDER TO C/O ALL REQUIREMENTS OF AD US 2022-20-14**	H	1688.8		UNK	0	6000	UNK	171.1	20011.1
	PN: Transmission Assy, Main Rotor - OH		L	UNK							
	SN: A-13 Position: 36009 HSN/LSN: 5828.9 / UNK HSO/LSO: N/A / N/A		C	UNK		UNK					

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
64-00-00	PD: 412 Crosshead, Tail Rotor - OH		164.4		UNK	0	2500	UNK	2335.6	22175.6
INS	PN: Crosshead, Tail Rotor - OH	Insp Type: Hard Time								
Serviceable	SN: RDFS8537	Installed on: Crosshead, Tail Rotor - 212-010-775-001	UNK							
Repeat	Position:	- RDFS8537	UNK		22-Apr-2022					
Pending	HSN/LSN: 164.4 / UNK	Description: Overhaul every 2,500 hrs.								
	HSO/LSO: N/A / N/A	SN notes: To be overhauled at the same time as TR Hub assy.								
64-00-00	PD: 412 Hub Assy, Tail Rotor - OH		1562.0		UNK	0	2500	UNK	938.0	20778.0
INS	PN: Hub Assy, Tail Rotor - OH	Insp Type: Hard Time								
Serviceable	SN: A-134	Installed on: Hub Assy, Tail Rotor -	UNK							
Repeat	Position:	212-011-701-125FM - A-134	UNK		UNK					
Pending	HSN/LSN: 1562.0 / UNK	Description: Overhaul every 2,500 hrs.								
	HSO/LSO: N/A / N/A									
64-00-00	PD: 412 Idler Assy, Tail Rotor - OH		1997.6		UNK	0	2500	UNK	502.4	20342.4
INS	PN: Idler Assy, Tail Rotor - OH	Insp Type: Hard Time								
Serviceable	SN: AFS-3153	Installed on: Idler Assy, Tail Rotor - 209-011-711-001	UNK							
Repeat	Position:	- AFS-3153	UNK		UNK					
Pending	HSN/LSN: 1997.6 / UNK	Description: Overhaul every 2,500 hrs.								
	HSO/LSO: N/A / N/A	SN notes: To be overhauled at the same time as TR Hub assy.								
64-00-00	PD: 412 Lever Assy, Tail Rotor - OH		653.2		UNK	0	2500	UNK	1614.6	21454.6
INS	PN: Lever Assy, Tail Rotor - OH	Insp Type: Hard Time								
Serviceable	SN: AFS-1421	Installed on: Lever Assy, Tail Rotor -	UNK							
Repeat	Position:	209-011-712-101 - AFS-1421	UNK		01-May-2019					
Pending	HSN/LSN: 885.4 / UNK	Description: Overhaul every 2,500 hrs.								
	HSO/LSO: N/A / N/A	SN notes: To be overhauled at the same time as TR Hub assy.								
64-00-00	PD: 412 Link Assy, Tail Rotor - OH		1997.6		UNK	0	2500	UNK	502.4	20342.4
INS	PN: Link Assy, Tail Rotor - OH	Insp Type: Hard Time								
Serviceable	SN: A1309	Installed on: Link Assy, Tail Rotor - 209-011-713-003	UNK							
Repeat	Position:	- A1309	UNK		UNK					
Pending	HSN/LSN: 1997.6 / UNK	Description: Overhaul every 2,500 hrs.								
	HSO/LSO: N/A / N/A	SN notes: To be overhauled at the same time as TR Hub assy.								
64-00-00	PD: 412 Nut, Tail Rotor - OH		1997.6		UNK	0	2500	UNK	502.4	20342.4
INS	PN: Nut, Tail Rotor - OH	Insp Type: Hard Time								
Serviceable	SN: AFS1126	Installed on: Nut, Tail Rotor - 212-010-706-001 -	UNK							
Repeat	Position:	AFS1126	UNK		UNK					
Pending	HSN/LSN: 1997.6 / UNK	Description: Overhaul every 2,500 hrs.								
	HSO/LSO: N/A / N/A	SN notes: To be overhauled at the same time as TR Hub assy.								

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
64-10-00 S Serviceable Life Pending	PD: Blade Assy, Tail Rotor	Insp Type: Life Limited Part Installed on: Bell Helicopter 412 - 412 - 33213 (C-GCCD) Description: Retire at 5,000 hrs	H	UNK	UNK	0	5000	N/A	699.3	20539.3
	PN: 212-010-750-105FM		L	UNK						
	SN: A-2555 Position: 4300.7 / 2381.0 HSN/LSN: 4300.7 / 2381.0 HSO/LSO: UNK / UNK		C	UNK	UNK					
64-10-00 S Serviceable Life Pending	PD: Blade Assy, Tail Rotor	Insp Type: Life Limited Part Installed on: Bell Helicopter 412 - 412 - 33213 (C-GCCD) Description: Retire at 5,000 hrs	H	UNK	UNK	0	5000	N/A	699.3	20539.3
	PN: 212-010-750-105FM		L	UNK						
	SN: A-2729 Position: 4300.7 / 2381.0 HSN/LSN: 4300.7 / 2381.0 HSO/LSO: UNK / UNK		C	UNK	UNK					
64-20-00 S Serviceable Life Pending	PD: Yoke Assy, Tail Rotor	Insp Type: Life Limited Part Installed on: Hub Assy, Tail Rotor - 212-011-701-125FM - A-134 Description: Retire at 5,000 hrs.	H	4003.9	UNK	0	5000	N/A	996.1	20836.1
	PN: 212-011-702-001		L	UNK						
	SN: HB945 Position: 4003.9 / UNK HSN/LSN: 4003.9 / UNK HSO/LSO: 4003.9 / 692.0		C	UNK	UNK					
65-10-00 INS Serviceable Repeat Pending	PD: 412 T/R D/S Hanger Assy - OH	Insp Type: Hard Time Installed on: T/R D/S Hanger Assy - 212-040-600-005 - A20-10269 Description: Overhaul every 3,000 hrs.	H	541.0	UNK	0	3000	UNK	2459.0	22299.0
	PN: 212-040-600-005		L	UNK						
	SN: A20-10269 Position: 541.0 / UNK HSN/LSN: 541.0 / UNK HSO/LSO: N/A / N/A		C	UNK	14-Sep-2020					
65-10-00 INS Serviceable Repeat Pending	PD: 412 T/R D/S Hanger Assy - OH	Insp Type: Hard Time Installed on: T/R D/S Hanger Assy - 212-040-600-005 - A20-83314 Description: Overhaul every 3,000 hrs.	H	1672.8	UNK	0	3000	UNK	1327.2	21167.2
	PN: 212-040-600-005		L	UNK						
	SN: A20-83314 Position: 1672.8 / UNK HSN/LSN: 1672.8 / UNK HSO/LSO: N/A / N/A		C	UNK	UNK					
65-10-00 INS Serviceable Repeat Pending	PD: 412 T/R D/S Hanger Assy - OH	Insp Type: Hard Time Installed on: T/R D/S Hanger Assy - 212-040-600-005 - A-4532 Description: Overhaul every 3,000 hrs.	H	338.2	17727.6	0	3000	2112.4	887.6	20727.6
	PN: 212-040-600-005		L	UNK						
	SN: A-4532 Position: 2112.4 / UNK HSN/LSN: 2112.4 / UNK HSO/LSO: N/A / N/A		C	UNK	UNK					
65-10-00 INS Serviceable Repeat Pending	PD: 412 T/R D/S Hanger Assy - OH	Insp Type: Hard Time Installed on: T/R D/S Hanger Assy - 212-040-600-005 - A4539 Description: Overhaul every 3,000 hrs.	H	UNK	UNK	0	3000	UNK	1080.6	20920.6
	PN: 212-040-600-005		L	UNK						
	SN: A4539 Position: 1919.4 / UNK HSN/LSN: 1919.4 / UNK HSO/LSO: N/A / N/A		C	UNK	UNK					

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
65-20-00	PD: 412 Gearbox Assy, 42 Degree - OH		H 1243.7		UNK	0	5000	UNK	3756.3	23596.3
INS	PN: Gearbox Assy, 42 Degree - OH	Insp Type: Hard Time	L UNK							
Serviceable	SN: AHP-25264	Installed on: Gearbox Assy, 42 Degree -	C UNK		03-May-2018					
Repeat	Position: Intermediate	212-040-003-023FM - AHP-25264								
Pending	HSN/LSN: 1243.7 / UNK	Description: Overhaul every 5,000 hrs.								
	HSO/LSO: N/A / N/A									
65-20-00	PD: 412 Gearbox Assy, 90 Degree - OH		H 3301.0		UNK	0	5000	UNK	1699.3	21539.3
INS	PN: Gearbox Assy, 90 Degree - OH	Insp Type: Hard Time	L UNK							
Serviceable	SN: AHT-25098	Installed on: Gearbox Assy, 90 Degree -	C UNK		UNK					
Repeat	Position: Tail Rotor	212-040-004-009FM - AHT-25098								
Pending	HSN/LSN: 3300.7 / UNK	Description: Overhaul every 5,000 hrs.								
	HSO/LSO: N/A / N/A									
67-30-00	PD: 412 Cylinder Assy, Hydraulic Servo - OH		H 164.4		UNK	0	2500	UNK	2335.6	22175.6
INS	PN: Cylinder Assy, Hydraulic Servo - OH	Insp Type: Hard Time	L UNK							
Serviceable	SN: HR10562H	Installed on: Cylinder Assy, Hydraulic Servo (Cyclic)	C UNK		18-Mar-2022					
Repeat	Position:	- 212-076-005-111 - HR10562H								
Pending	HSN/LSN: 164.4 / UNK	Description: Overhaul every 2,500 hrs.								
	HSO/LSO: N/A / N/A									
67-30-00	PD: 412 Cylinder Assy, Hydraulic Servo - OH		H 1504.1		UNK	0	2500	UNK	733.2	20573.2
INS	PN: Cylinder Assy, Hydraulic Servo - OH	Insp Type: Hard Time	L UNK							
Serviceable	SN: HR12831	Installed on: Cylinder Assy, Hydraulic Servo	C UNK		UNK					
Repeat	Position:	(Collective) - 212-076-005-111 - HR12831								
Pending	HSN/LSN: 1766.8 / UNK	Description: Overhaul every 2,500 hrs.								
	HSO/LSO: N/A / N/A									
67-30-00	PD: 412 Cylinder Assy, Hydraulic Servo - OH		H 1504.1		UNK	0	2500	UNK	733.2	20573.2
INS	PN: Cylinder Assy, Hydraulic Servo - OH	Insp Type: Hard Time	L UNK							
Serviceable	SN: HR12832H	Installed on: Cylinder Assy, Hydraulic Servo (Cyclic)	C UNK		UNK					
Repeat	Position:	- 212-076-005-111 - HR12832								
Pending	HSN/LSN: 1766.8 / UNK	Description: Overhaul every 2,500 hrs.								
	HSO/LSO: N/A / N/A									
71-00-00	PD: 412 Oil cooler blower - OH		H UNK		UNK	0	1000	UNK	366.1	20206.1
INS	PN: Oil cooler blower (5-30)	Insp Type: Hard Time	L UNK							
Serviceable	SN: 5100-0763	Installed on: Oil cooler blower - 212-062-514-101 -	C UNK		UNK					
Repeat	Position:	5100-0763								
Pending	HSN/LSN: 633.9 / UNK	Description: 1000 Hrs. of component operation O/H								
	HSO/LSO: N/A / N/A									
71-00-00	PD: 412 Oil cooler blower - OH		H 164.4		UNK	0	1000	UNK	835.6	20675.6
INS	PN: Oil cooler blower (5-30)	Insp Type: Hard Time	L UNK							
Serviceable	SN: 5100-9707214	Installed on: Oil cooler blower - 212-062-514-101 -	C UNK		18-Apr-2022					
Repeat	Position:	5100-9707214								
Pending	HSN/LSN: 164.4 / UNK	Description: 1000 Hrs. of component operation O/H								
	HSO/LSO: N/A / N/A									

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF	
72-00-00 INS Serviceable Repeat Pending	PD: 412 Combining Gearbox, Engine - OH	Insp Type: Hard Time Installed on: Combining Gearbox, Engine - 3024780 - CPGB-2348 Position: CPGB-2348 Description: Overhaul every 4,000 hrs. HSN/LSN: 2680.5 / UNK HSO/LSO: N/A / N/A	H	632.4		UNK	0	4000	UNK	1319.5	21159.5
	PN: Combining Gearbox, Engine - OH		L	UNK							
	SN: CPGB-2348		C	UNK		UNK					
72-00-00 INS Serviceable Repeat Pending	PD: T3B Engine, Power Section - OH	Insp Type: Hard Time Installed on: PT6T-3B - 3017600-T3B - CPPS-62193 Position: CPPS-62193 Description: Overhaul every 4,000 hrs. HSN/LSN: 164.4 / UNK HSO/LSO: N/A / N/A	H	164.4		UNK	0	4000	UNK	3835.6	23675.6
	PN: Engine, Power Section - OH		L	UNK							
	SN: CPPS-62193		C	UNK		22-Apr-2022					
72-00-00 INS Serviceable Repeat Pending	PD: T3B Engine, Power Section - OH	Insp Type: Hard Time Installed on: PT6T-3B - 3017600-T3B - CPPS-62693 Position: CPPS-62693 Description: Overhaul every 4,000 hrs. HSN/LSN: 2579.6 / UNK HSO/LSO: N/A / N/A	H	UNK		UNK	0	4000	UNK	1420.4	21260.4
	PN: Engine, Power Section - OH		L	UNK							
	SN: CPPS-62693		C	UNK		UNK					
72-30-01 S Serviceable Life Pending	PD: Impeller, Centrifugal	Insp Type: Life Limited Part Installed on: PT6T-3B - 3017600-T3B - CPPS-62193 Position: 3A874 Description: Retire at 29,000 cycles. SN notes: LSN=Cycles Since New for this component and calculated in a separate xls sheet "PT6T-3B Rotating Component Service Life Status". Last updated Oct 11, 2022/LK HSN/LSN: UNK / 21949.0 HSO/LSO: UNK / UNK	H	UNK							
	PN: 3027798		L	UNK		UNK	0	29000	N/A	7051.0	61220.0
	SN: 3A874		C	UNK		UNK					
72-30-01 S Serviceable Life Pending	PD: Impeller, Centrifugal	Insp Type: Life Limited Part Installed on: PT6T-3B - 3017600-T3B - CPPS-62693 Position: 9B498 Description: Retire at 29,000 cycles. SN notes: LSN=Cycles Since New for this component and calculated in a separate xls sheet "PT6T-3B Rotating Component Service Life Status". Last updated Oct 11, 2022/LK HSN/LSN: UNK / 6781.0 HSO/LSO: UNK / UNK	H	UNK							
	PN: 3027798		L	UNK		UNK	0	29000	N/A	22219.0	76388.0
	SN: 9B498		C	UNK		UNK					
72-30-01 S Serviceable Life Pending	PD: Rotor Hub, Compressor	Insp Type: Life Limited Part Installed on: PT6T-3B - 3017600-T3B - CPPS-62693 Position: 7M897 Description: Retire at 15,000 hrs. Retire at 110,000 cycles. SN notes: LSN=Cycles Since New for this component and calculated in a separate xls sheet "PT6T-3B Rotating Component Service Life Status". Last updated Oct 11, 2022/LK HSN/LSN: 8449.3 / 7099.0 HSO/LSO: UNK / UNK	H	UNK		UNK	0	15000	N/A	6550.7	26390.7
	PN: 3018111		L	UNK		UNK	0	110000	N/A	102901.0	157070.0
	SN: 7M897		C	UNK		UNK					

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF	
72-30-01 S Serviceable Life Pending	PD: Rotor Hub, Compressor	Insp Type: Life Limited Part Installed on: PT6T-3B - 3017600-T3B - CPPS-62193	H	UNK		UNK	0	15000	N/A	3202.1	23042.1
	PN: 3018111		L	UNK		UNK	0	110000	N/A	82733.0	136902.0
	SN: A0560		C	UNK		UNK					
Position:			Description: Retire at 15,000 hrs. Retire at 110,000 cycles.								
HSN/LSN: 11797.9 / 27267.0			SN notes: LSN=Cycles Since New for this component and calculated in a separate xls sheet "PT6T-3B Rotating Component Service Life Status". Last updated Oct 11, 2022/LK								
HSO/LSO: UNK / UNK											
72-30-02 S Serviceable Life Pending	PD: Disk, 2nd. Stage Compressor	Insp Type: Life Limited Part Installed on: PT6T-3B - 3017600-T3B - CPPS-62193	H	UNK							
	PN: 3018312		L	UNK		UNK	0	22500	N/A	16900.0	71069.0
	SN: 5H242		C	UNK		UNK					
Position:			Description: Retire at 22,500 cycles.								
HSN/LSN: UNK / 5600.0			SN notes: LSN=Cycles Since New for this component and calculated in a separate xls sheet "PT6T-3B Rotating Component Service Life Status". Last updated Oct 11, 2022/LK								
HSO/LSO: UNK / UNK											
72-30-02 S Serviceable Life Pending	PD: Disk, 2nd. Stage Compressor	Insp Type: Life Limited Part Installed on: PT6T-3B - 3017600-T3B - CPPS-62693	H	UNK							
	PN: 3018312		L	UNK		UNK	0	22500	N/A	15401.0	69570.0
	SN: 7M451		C	UNK		UNK					
Position:			Description: Retire at 22,500 cycles.								
HSN/LSN: UNK / 7099.0			SN notes: LSN=Cycles Since New for this component and calculated in a separate xls sheet "PT6T-3B Rotating Component Service Life Status". Last updated Oct 11, 2022/LK								
HSO/LSO: UNK / UNK											
72-30-02 S Serviceable Life Pending	PD: Disk, 3rd. Stage Compressor	Insp Type: Life Limited Part Installed on: PT6T-3B - 3017600-T3B - CPPS-62193	H	UNK							
	PN: 3017713		L	UNK		UNK	0	28000	N/A	22410.0	76579.0
	SN: 5F906		C	UNK		UNK					
Position:			Description: Retire at 28,000 cycles.								
HSN/LSN: UNK / 5590.0			SN notes: LSN=Cycles Since New for this component and calculated in a separate xls sheet "PT6T-3B Rotating Component Service Life Status". Last updated Oct 11, 2022/LK								
HSO/LSO: UNK / UNK											
72-30-02 S Serviceable Life Pending	PD: Disk, 3rd. Stage Compressor	Insp Type: Life Limited Part Installed on: PT6T-3B - 3017600-T3B - CPPS-62693	H	UNK							
	PN: 3017713		L	UNK		UNK	0	28000	N/A	21219.0	75388.0
	SN: 7L051		C	UNK		UNK					
Position:			Description: Retire at 28,000 cycles.								
HSN/LSN: UNK / 6781.0			SN notes: LSN=Cycles Since New for this component and calculated in a separate xls sheet "PT6T-3B Rotating Component Service Life Status". Last updated Oct 11, 2022/LK								
HSO/LSO: UNK / UNK											

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF	
72-50-01 S Serviceable Life Pending	PD: Turbine Disk, Power	Insp Type: Life Limited Part Installed on: PT6T-3B - 3017600-T3B - CPPS-62693	H	UNK		UNK	0	15000	N/A	8507.5	28347.5
	PN: 3022312		L	UNK		UNK	0	57000	N/A	45285.0	99454.0
	SN: 3Y037		C	UNK		UNK					
Position:			Description: Retire at 15,000 hrs. Retire at 57,000 cycles SN notes: LSN=Cycles Since New for this component and calculated in a separate xls sheet "PT6T-3B Rotating Component Service Life Status". Last updated Oct 11, 2022/LK								
HSN/LSN: 6492.5 / 11715.0											
HSO/LSO: UNK / UNK											
72-50-01 S Serviceable Life Pending	PD: Turbine Disk, Power	Insp Type: Life Limited Part Installed on: PT6T-3B - 3017600-T3B - CPPS-62193	H	UNK		UNK	0	15000	N/A	9506.1	29346.1
	PN: 3022312		L	UNK		UNK	0	57000	N/A	50910.0	105079.0
	SN: 41A769		C	UNK		UNK					
Position:			Description: Retire at 15,000 hrs. Retire at 57,000 cycles SN notes: LSN=Cycles Since New for this component and calculated in a separate xls sheet "PT6T-3B Rotating Component Service Life Status". Last updated Oct 11, 2022/LK								
HSN/LSN: 5493.9 / 6090.0											
HSO/LSO: UNK / UNK											
72-50-02 S Serviceable Life Pending	PD: Turbine Disk, Compressor	Insp Type: Life Limited Part Installed on: PT6T-3B - 3017600-T3B - CPPS-62193	H	UNK							
	PN: 3024211		L	UNK		UNK	0	10000	N/A	2534.0	56703.0
	SN: 5L328		C	UNK		UNK					
Position:			Description: Retire at 10,000 cycles SN notes: LSN=Cycles Since New for this component and calculated in a separate xls sheet "PT6T-3B Rotating Component Service Life Status". Last updated Oct 11, 2022/LK								
HSN/LSN: UNK / 7466.0											
HSO/LSO: UNK / UNK											
72-50-02 S Serviceable Life Pending	PD: Turbine Disk, Compressor	Insp Type: Life Limited Part Installed on: PT6T-3B - 3017600-T3B - CPPS-62693	H	UNK							
	PN: 3024211		L	UNK		UNK	0	10000	N/A	3379.0	57548.0
	SN: 7M308		C	UNK		UNK					
Position:			Description: Retire at 10,000 cycles SN notes: LSN=Cycles Since New for this component and calculated in a separate xls sheet "PT6T-3B Rotating Component Service Life Status". Last updated Oct 11, 2022/LK								
HSN/LSN: UNK / 6621.0											
HSO/LSO: UNK / UNK											
73-00-00 INS Serviceable Life Pending	PD: PT6T Fuel Nozzles (Set) Replacement	Insp Type: Mandatory Installed on: PT6T-3B - 3017600-T3B - CPPS-62193	H	164.4		UNK	0	600	N/A	435.6	20275.6
	PN: 600 Hr Fuel Nozzle Set Replacement		L	UNK							
	SN: CPPS-62193		C	UNK		22-Apr-2022					
Position:			Description: 600 Hr Fuel Nozzle Set Replacement								
HSN/LSN: 164.4 / UNK											
HSO/LSO: N/A / N/A											

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
73-00-00 INS Serviceable Life Pending	PD: PT6T Fuel Nozzles (Set) Replacement	Insp Type: Mandatory	H 63.5		UNK	0	600	N/A	536.5	20376.5
	PN: 600 Hr Fuel Nozzle Set Replacement	Installed on: PT6-3B Fuel Nozzle - PT6-3B Fuel	L UNK							
	SN: CPPS-62693 Position: Nozzle Consignment - Consignment Nozzles	Description: 600 Hr Fuel Nozzle Set Replacement	C UNK		22-Apr-2022					
HSN/LSN: 63.5 / UNK HSD/LSO: N/A / N/A Last Log: CCD eng 2020-3 (11-Mar-2020). JC 468P - 412 - 33213 (C-GCCD) - Line Maintenance.										
73-00-00 INS Serviceable Repeat Pending	PD: T3B Fuel Surge Accumulator Insp	Insp Type: Mandatory	H 21.7		UNK	0	150	UNK	128.3	19968.3
	PN: POST-SB5398	Installed on: PT6T-3B - 3017600-T3B - CPPS-62193	L UNK							
	SN: CPPS-62193 Position:	Description: Fuel Surge Accumulator, visual insp. every 150 hrs	C UNK		09-Mar-2023					
HSN/LSN: 21.7 / UNK HSD/LSO: N/A / N/A										
73-00-00 INS Serviceable Repeat Pending	PD: T3B Fuel Surge Accumulator Insp	Insp Type: Mandatory	H 21.7		19818.3	0	150	21.7	128.3	19968.3
	PN: POST-SB5398	Installed on: PT6T-3B - 3017600-T3B - CPPS-62693	L UNK							
	SN: CPPS-62693 Position:	Description: Fuel Surge Accumulator, visual insp. every 150 hrs	C UNK		09-Mar-2023					
HSN/LSN: 21.7 / UNK HSD/LSO: N/A / N/A Last Log: B3286-M1 (01-Aug-2021). JC 600P - 412 - 33213 (C-GCCD) - Line Maintenance.										
73-10-02 INS Serviceable Repeat Pending	PD: T3B Fuel Pump, Engine Driven - OH	Insp Type: Hard Time	H 2591.2		UNK	100	4500	UNK	1908.8	21748.8
	PN: Fuel Pump, Engine Driven - OH	Installed on: Fuel Pump, Engine Driven -	L UNK							
	SN: PE7348 Position: 025277-300-07 - PE7348	Description: Overhaul every 4,500 hrs.	C UNK		UNK					
HSN/LSN: 2591.2 / UNK HSD/LSO: N/A / N/A										
73-10-02 INS Serviceable Repeat Issued	PD: T3B Fuel Pump, Engine Driven - OH	Insp Type: Hard Time	H 535.1		UNK	100	4500	UNK	3964.9	23804.9
	PN: Fuel Pump, Engine Driven - OH	Installed on: Fuel Pump, Engine Driven -	L UNK							
	SN: PE9111 Position: 025277-300-07 - PE9111	Description: Overhaul every 4,500 hrs.	C UNK		11-Dec-2014					
HSN/LSN: 535.1 / UNK HSD/LSO: N/A / N/A										
73-10-04 INS Serviceable Repeat Pending	PD: T3B Flow Divider - OH	Insp Type: Hard Time	H 164.4		UNK	0	4500	UNK	4335.6	24175.6
	PN: Flow Divider - OH	Installed on: Flow Divider - 25536-4 - 13566	L UNK							
	SN: 13566 Position:	Description: Overhaul every 4,500 hrs.	C UNK		21-Mar-2022					
HSN/LSN: 164.4 / UNK HSD/LSO: N/A / N/A										
73-10-04 INS Serviceable Repeat Pending	PD: T3B Flow Divider - OH	Insp Type: Hard Time	H UNK		UNK	0	4500	UNK	1920.4	21760.4
	PN: Flow Divider - OH	Installed on: Flow Divider - 25536-4 - 18942	L UNK							
	SN: 18942 Position: Engine 2	Description: Overhaul every 4,500 hrs.	C UNK		UNK					
HSN/LSN: 2579.6 / UNK HSD/LSO: N/A / N/A										

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
73-20-01 INS Serviceable Repeat Pending	PD: T3B Fuel Control, Manual - OH	Insp Type: Hard Time Installed on: Fuel Control, Manual - 3244736-8 - A37880 Position: A37880 Description: Overhaul every 4,500 hrs.	H	UNK	UNK	100	4500	UNK	2269.7	22109.7
	PN: Fuel Control, Manual - OH		L	UNK						
	SN: A37880		C	UNK	UNK					
73-20-01 INS Serviceable Repeat Pending	PD: T3B Fuel Control, Manual - OH	Insp Type: Hard Time Installed on: Fuel Control, Manual - 3244736-8 - A86209 Position: A86209 Description: Overhaul every 4,500 hrs.	H	2591.2	UNK	100	4500	UNK	1908.8	21748.8
	PN: Fuel Control, Manual - OH		L	UNK						
	SN: A86209		C	UNK	UNK					
73-20-01 INS Serviceable Repeat Issued	PD: T3B Fuel Control, Auto - OH	Insp Type: Hard Time Installed on: Fuel Control, Auto - 3244735-16-15 - A84681 Position: A84681 Description: Overhaul every (a) 6,000 hrs. or (b) 6 yrs.	H	535.1	UNK	0	6000	UNK	5464.9	25304.9
	PN: Fuel Control, Auto - OH		L	UNK						
	SN: A84681		C	UNK	19-Nov-2020	0	72 (M)	28.47	43.92	30-Nov-2026
73-20-01 INS Serviceable Repeat Pending	PD: T3B Fuel Control, Auto - OH	Insp Type: Hard Time Installed on: Fuel Control, Auto - 3244735-16-15 - A8846 Position: A8846 Description: Overhaul every (a) 6,000 hrs. or (b) 6 yrs.	H	484.3	UNK	0	6000	UNK	5515.7	25355.7
	PN: Fuel Control, Auto - OH		L	UNK						
	SN: A8846		C	UNK	21-Oct-2020	0	72 (M)	29.42	42.94	31-Oct-2026
75-30-01 INS Serviceable Repeat Pending	PD: T3B Valve, Bleed - OH	Insp Type: Hard Time Installed on: Valve, Bleed - 540-1407-4 - 3093 Position: Description: Overhaul every 4,500 hrs. SN notes: TSN: UKN, Received in Inspected condition with TSO: UNK. Pratt & Whitney SB5003R49 says part is O/C, however company tracks 4500 hrs OVH time and performs OVH if requires at the time of engine OVH.	H	164.4	UNK	0	4500	UNK	4335.6	24175.6
	PN: Valve, Bleed - OH		L	UNK						
	SN: 3093		C	UNK	17-Jan-2022					
75-30-01 INS Serviceable Repeat Pending	PD: T3B Valve, Bleed - OH	Insp Type: Hard Time Installed on: Valve, Bleed - 3123203-01 - 3H890 Position: Engine 2 Description: Overhaul every 4,500 hrs. SN notes: TSN: UKN, Received in Inspected condition with TSO: UNK. Pratt & Whitney SB5003R49 says part is O/C, however company tracks 4500 hrs OVH time and performs OVH if requires at the time of engine OVH.	H	UNK	UNK	0	4500	UNK	1420.4	21260.4
	PN: Valve, Bleed - OH		L	UNK						
	SN: 3H890		C	UNK	UNK					

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
75-30-03	PD: T3B Air Filter, P3 - OH				UNK	0	900	UNK	735.6	20575.6
INS	PN: Air Filter, P3 - OH	Insp Type: Hard Time								
Serviceable	SN: CPPS-62193	Installed on: Air Filter, P3 - 3038142 - CPPS-62193								
Repeat	Position:				22-Apr-2022					
Pending	HSN/LSN: 164.4 / UNK	Description: Overhaul every 900 hrs.								
	HSO/LSO: N/A / N/A									
75-30-03	PD: T3B Air Filter, P3 - OH			19597.2	19499.8	0	900	340.2	559.8	20399.8
INS	PN: Air Filter, P3 - OH	Insp Type: Hard Time								
Serviceable	SN: CPPS-62693	Installed on: Air Filter, P3 - 3038142 - CPPS-62693								
Repeat	Position: Engine 2				05-Jul-2021					
Pending	HSN/LSN: 1142.8 / UNK	Description: Overhaul every 900 hrs.								
	HSO/LSO: N/A / N/A	Last Log: B3278-M2 (05-Jul-2021). JC 553P - 412 - 33213 (C-GCCD) - Line Maintenance.								
76-00-00	PD: 412 Torque Control Unit/UTL - OH				UNK	0	4500	UNK	1819.5	21659.5
INS	PN: Torque Control Unit/UTL - OH	Insp Type: Hard Time								
Serviceable	SN: C11214	Installed on: Torque Control Unit/UTL - 3244706-7 - C11214								
Repeat	Position: E3				UNK					
Pending	HSN/LSN: 2680.5 / UNK	Description: Overhaul every 4,500 hrs.								
	HSO/LSO: N/A / N/A									
76-00-00	PD: T3B Governor, Free Turbine - OH		164.4		UNK	0	4500	UNK	4335.6	24175.6
INS	PN: Governor, FT 2524999 - OH	Insp Type: Hard Time								
Serviceable	SN: A9765	Installed on: Governor, Free Turbine - 2524999-6 - A9765								
Repeat	Position:				26-Sep-2017					
Pending	HSN/LSN: 164.4 / UNK	Description: Overhaul every 4,500 hrs.								
	HSO/LSO: N/A / N/A									
76-00-00	PD: T3B Governor, Free Turbine - OH		1656.5		UNK	0	4500	UNK	2843.5	22683.5
INS	PN: Governor, FT 2524999 - OH	Insp Type: Hard Time								
Serviceable	SN: B25711	Installed on: Governor, Free Turbine - 2524999-6 - B25711								
Repeat	Position: Eng 2				14-Oct-2014					
Pending	HSN/LSN: 1656.5 / UNK	Description: Overhaul every 4,500 hrs.								
	HSO/LSO: N/A / N/A									
79-20-02	PD: PT6T Heater, Fuel/Oil - OH		1317.7		UNK	0	4500	UNK	3182.3	23022.3
INS	PN: Heater, Fuel/Oil - OVH	Insp Type: Hard Time								
Serviceable	SN: 1241	Installed on: Heater, Fuel/Oil - 10544E - 1241								
Repeat	Position:				18-Apr-2014					
Pending	HSN/LSN: 1317.7 / UNK	Description: Overhaul every 4.500 hrs								
	HSO/LSO: N/A / N/A									
79-20-02	PD: PT6T Heater, Fuel/Oil - OH		UNK		UNK	0	4500	UNK	1908.8	21748.8
INS	PN: Heater, Fuel/Oil - OVH	Insp Type: Hard Time								
Serviceable	SN: WA6632	Installed on: Heater, Fuel/Oil - 10544E - WA6632								
Repeat	Position:				UNK					
Pending	HSN/LSN: 2591.2 / UNK	Description: Overhaul every 4.500 hrs								
	HSO/LSO: N/A / N/A									

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
96-00-00 S Inspected/tested Repeat Pending	PD: Trig TT21 Transponder (Mode S w ADS-B Out)	Insp Type: N/A	46.8							
	PN: 00746-00-01	Installed on: Bell Helicopter 412 - 412 - 33213	90.0							
	SN: 10730 Position: (C-GCCD) Description: 24 months recertification SN notes: 24 month Pitot/Static Check (FAR 91.411) to be c/o at the same time and reset in RAAS Last Log: B4072-M1 (04-Oct-2022).	C	25-Oct-2022		05-Oct-2022	0	24 (M)	5.95	18.94	31-Oct-2024
97-00-00 S Inspected/tested Repeat Pending	PD: Altimeter	Insp Type: N/A	46.8							
	PN: 212-070-238-007	Installed on: Bell Helicopter 412 - 412 - 33213	90.0							
	SN: 155849 Position: (C-GCCD) Description: Recertify every 24 months. SN notes: 24 month Pitot/Static Check (FAR 91.411) to be c/o at the same time and reset in RAAS Last Log: B4072-M1 (04-Oct-2022).	C	25-Oct-2022		05-Oct-2022	0	24 (M)	5.95	18.94	31-Oct-2024
97-00-00 S Inspected/tested Repeat Pending	PD: Altimeter (Pilot)	Insp Type: N/A	46.8							
	PN: 212-070-238-003	Installed on: Bell Helicopter 412 - 412 - 33213	90.0							
	SN: 30779 Position: (C-GCCD) Description: Recertify every 24 months. SN notes: 24 month Pitot/Static Check (FAR 91.411) to be c/o at the same time and reset in RAAS Last Log: B4072-M3 (25-Oct-2022).	C	25-Oct-2022		24-Oct-2022	0	24 (M)	5.33	18.94	31-Oct-2024
Cross Reference 99-00-00 INS Serviceable Repeat Pending	PD: AD 2000-18-09	Insp Type: AD FAA	69.2		19770.8	0	100	69.2	30.8	19870.8
	PN: TAILBOOM ATTACHMENT UPPER LH	Installed on: Bell Helicopter 412 - 412 - 33213	UNK							
	SN: 33213 Position: (C-GCCD) Description: TAILBOOM ATTACHMENT UPPER LH CAP ANGLE Last Log: 0687-M3 (27-Jul-2015). JC 366P - 412 - 33213 (C-GCCD) - Line Maintenance. Cross Ref: SB 412-00-100	C	UNK		29-Aug-2022					
Cross Reference 99-00-00 INS Serviceable Repeat Pending	PD: AD 2001-09-11	Insp Type: AD FAA	20.4		UNK	0	25	UNK	4.6	19844.6
	PN: TAIL ROTOR YOKE FATIGUE	Installed on: Bell Helicopter 412 - 412 - 33213	UNK							
	SN: 33213 Position: (C-GCCD) Description: TAIL ROTOR YOKE FATIGUE FAILURE Last Log: B4073-M1 (25-Oct-2022). JC 627P - 412 - 33213 (C-GCCD) - Line Maintenance. Cross Ref: SB 412-96-89 Part D	C	UNK		17-Mar-2023					
Cross Reference 99-00-00 INS Serviceable Repeat Pending	PD: AD 2001-13-01	Insp Type: AD FAA	69.2		19770.8	0	100	69.2	30.8	19870.8
	PN: TAIL ROTOR COUNTERWEIGHT	Installed on: Bell Helicopter 412 - 412 - 33213	UNK							
	SN: 33213 Position: (C-GCCD) Description: TAIL ROTOR COUNTERWEIGHT BELLCRANK RETENTION NUT Last Log: 0687-M3 (27-Jul-2015). JC 364P - 412 - 33213 (C-GCCD) - Line Maintenance. Cross Ref: SB 412-00-102RA	C	UNK		29-Aug-2022					

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number
 Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;
 Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)
 HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

				Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF	
Cross Reference	99-00-00	PD: AD 2012-22-11		H	69.2		19770.8	0	100	69.2	30.8	19870.8
	INS	PN: Cracked collective lever	Insp Type: AD FAA	L	UNK							
	Serviceable	SN: 33213	Installed on: Bell Helicopter 412 - 412 - 33213	C	UNK		29-Aug-2022					
	Repeat	Position:	(C-GCCD)									
	Pending	HSN/LSN: 69.2 / UNK HSO/LSO: N/A / N/A	Description: 100 Hr. Collective Lever Inspection Last Log: 0687-M3 (27-Jul-2015). JC 363P - 412 - 33213 (C-GCCD) - Line Maintenance.									
		Cross Ref: SB 412-11-148 RA										
Cross Reference	99-00-00	PD: AD 2013-15-02		H	20.4		UNK	0	25	UNK	4.6	19844.6
	INS	PN: Fatigue cracking of a T/R blade	Insp Type: AD CF	L	UNK							
	Serviceable	SN: 33213	Installed on: Bell Helicopter 412 - 412 - 33213	C	UNK		17-Mar-2023					
	Repeat	Position:	(C-GCCD)									
	Pending	HSN/LSN: 20.4 / UNK HSO/LSO: N/A / N/A	Description: AD 2013-15-02 Fatigue cracking of a T/R blade Last Log: B4073-M1 (25-Oct-2022). JC 626P - 412 - 33213 (C-GCCD) - Line Maintenance.									
		Cross Ref: SB 412-13-155										
Cross Reference	99-00-00	PD: SB 412-10-140 Rev A		H	164.4		19675.6	0	300	164.4	135.6	19975.6
	INS	PN: Insp for Gap Btwn Intake Fairing As	Insp Type: ASB	L	UNK							
	Serviceable	SN: 33213	Installed on: Bell Helicopter 412 - 412 - 33213	C	UNK		22-Apr-2022					
	Repeat	Position:	(C-GCCD)									
	Pending	HSN/LSN: 164.4 / UNK HSO/LSO: N/A / N/A	Description: INSP FOR GAP BTWN INTAKE FAIRING ASSY AND LWR FWD FIRWALL HRZNTL FLNGE Last Log: 0692-M1 (22-Sep-2015). JC 406P - 412 - 33213 (C-GCCD) - Line Maintenance.									
Cross Reference	99-00-00	PD: SB 412-15-166		H	164.4		19675.6	0	300	164.4	135.6	19975.6
	INS	PN: TR flight control tube and bearing	Insp Type: ASB	L	UNK							
	Serviceable	SN: 33213	Installed on: Bell Helicopter 412 - 412 - 33213	C	UNK		22-Apr-2022	0	12 (M)	11.41	0.85	30-Apr-2023
	Repeat	Position:	(C-GCCD)									
	Pending	HSN/LSN: 164.4 / UNK HSO/LSO: N/A / N/A	Description: 300 hrs/12 mo inspection of Tail Rotor flight control tube and bearing Last Log: 0692-M1 (22-Sep-2015). JC 408P - 412 - 33213 (C-GCCD) - Line Maintenance.									
Cross Reference	99-00-00	PD: SB 412-17-173 Rev A		H	164.4		UNK	0	600	UNK	435.6	20275.6
	INS	PN: MAGNETIC BRAKE ASSY INSP	Insp Type: ASB	L	UNK							
	Serviceable	SN: 33213	Installed on: Bell Helicopter 412 - 412 - 33213	C	UNK		22-Apr-2022	0	365 (D)	347	18	22-Apr-2023
	Repeat	Position:	(C-GCCD)									
	Pending	HSN/LSN: 164.4 / UNK HSO/LSO: N/A / N/A	Description: MAGNETIC BRAKE ASSEMBLY 204-001-376-003, INSPECTION AND REPAIR OF									
Cross Reference	99-00-00	PD: SB 412-20-180		H	69.2		UNK	0	100	UNK	30.8	19870.8
	INS	PN: Tailboom LH Fin Spar Cap Insp.	Insp Type: ASB	L	UNK							
	Serviceable	SN: 33213	Installed on: Bell Helicopter 412 - 412 - 33213	C	UNK		30-Aug-2022					
	Repeat	Position:	(C-GCCD)									
	Pending	HSN/LSN: 69.2 / UNK HSO/LSO: N/A / N/A	Description: Inspection Tailboom LH Fin Spar Cap SN notes: Reference to AD US2022-07-02									

Assembly Listing Details



Ordered By: ATA / Part Description - Part Number - Serial Number

Filtered by: Show items with constraint information; Show inspection items; Show non inspection items; Include airframe and general inspections;

Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

HSN: 19840.0 LSN: 54169.0 Last Updated: 28-Mar-2023 Assembly Header: AC - Bell Helicopter 412 - 412 - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
99-00-00	PD: SB 5575		46.8		UNK	0	150	N/A	103.2	19943.2
INS	PN: TURBOSHAFT ENG FUEL FLOW	Insp Type: Mandatory								
Serviceable	SN: CPPS-62193	Installed on: PT6T-3B - 3017600-T3B - CPPS-62193	UNK		UNK					
Initial	Position:		UNK		UNK					
Pending	HSN/LSN: 46.8 / UNK	Description: To be done within the next 150 flight hours								
	HSO/LSO: N/A / N/A									
99-00-00	PD: SB 5575		46.8		UNK	0	150	N/A	103.2	19943.2
INS	PN: TURBOSHAFT ENG FUEL FLOW	Insp Type: Mandatory								
Serviceable	SN: CPPS-62693	Installed on: PT6T-3B - 3017600-T3B - CPPS-62693	UNK		UNK					
Initial	Position:		UNK		UNK					
Pending	HSN/LSN: 46.8 / UNK	Description: To be done within the next 150 flight hours								
	HSO/LSO: N/A / N/A									